

8pt

TITLE OF THE INVENTION

IMPROVED HELPER DEPENDENT VECTOR SYSTEM FOR GENE THERAPY

5 FIELD OF THE INVENTION

This invention relates to adenoviral vectors which are useful for nucleic acid delivery into a cell such as in gene delivery and nucleotide vaccine applications. It also relates to host cells and methods using these vectors.

10 BACKGROUND OF THE INVENTION

The references cited herein are not admitted to be prior art to the claimed invention.

Adenoviral vectors provide a vehicle for introducing nucleic acids into a cell *in vitro* and *in vivo*. Over 100 different serotypes, of which 47 are of human origin, have been reported. (Hierholzer, *et al.*, *J. infect. Dis.* 159:804-813, 1988.)  
15 Adenoviruses type 2 and 5 used to produce adenoviral vectors are well characterized.

A human adenovirus contains a 5' inverted terminal repeat (ITR); a packaging signal; region E1 made up of the early regions E1A and E1B; region E2; region E3, region E4; the late regions L1-L5; and a 3' ITR. Regions E1 and E4  
20 contain regulatory proteins, region E2 encodes proteins required for replication, and the L region encodes for the structural proteins of the virus. The E3 region is dispensable for virus growth *in vitro*. (Hitt, *et al.*, *Advances in Pharmacology* 40:137-206, 1996.)

A replicating viral vector based on the adenovirus must contain  
25 adenovirus *cis* elements needed for replication. Packaging also requires *cis* elements on the vector whereas the necessary proteins can be supplied in *trans*. In *trans* supplementation can be brought about by specialized cells and/or additional viruses producing the needed proteins. (Hitt, *et al.*, *Advances in Pharmacology* 40:137-206, 1996.)

30 Different types of adenoviral vectors have been developed including those lacking one or more components of the adenoviral genome. An adenoviral vector produced without components of the adenoviral genome provides advantages such as in increasing the amount of foreign nucleic acid that can be included with the adenoviral vector and removing adenoviral genes whose expression can have  
35 detrimental effects. (Hitt, *et al.*, *Advances in Pharmacology* 40:137-206, 1996.)

09890836-020201

Adenoviral vectors lacking all viral protein-coding sequences have been developed. These vectors require supplementation of viral regulatory and structural proteins supplied *in trans* for packaging and rescue. A second adenovirus carrying genes necessary for virus growth can be used to provide *in trans* the required supplementation of proteins. (Mitani, *et al.*, *Proc. Natl. Acad. Sci. USA* 92:3854-3858, 1995; Fisher, *et al.*, *Virology* 217:11-22, 1996; Kochanek, *et al.*, *Proc. Natl. Acad. Sci. USA* 93:5731-5736, 1996; Parks, *et al.*, *Proc. Natl. Acad. Sci. USA* 93:13565-13570, 1996; Parks, *et al.*, *J. Virology* 71(4):3293-3298, 1997; and Schiedner, *et al.*, *Nature Genetics* 18:180-183, 1998.)

10

## SUMMARY OF THE INVENTION

The present invention features helper-dependent adenoviral vector elements, and helper adenoviral elements, that enhance the production and isolation of helper-dependent adenoviral vectors. Such elements include a modified packaging signal having low homology to, and preferably less activity than, a wild-type packaging signal, an E4 non-coding segment directly joined to the 5' ITR that confers a selective advantage, and stuffer region(s) that provide a helper-dependent adenoviral vector with a GC content of about 50% to about 60%. The modified packaging signal is preferably used in a helper virus to decrease recombination and generation of the virus. The E4 non-coding segment and the stuffer region(s) are preferably used in a helper-dependent adenoviral vector to provide the vector with a growth advantage over a helper virus.

A "helper-dependent adenoviral vector" refers to a viral vector containing the *cis* elements needed for adenovirus replication and packaging (also referred to herein as viral generation), but lacking the necessary *trans* elements for adenovirus replication and packaging. The *cis* elements needed for viral generation is an adenovirus 3' ITR, a packaging signal, and an adenovirus 5' IRT. *Trans* elements needed for viral generation are the proteins encoded by the E1, E2, and E4 and L adenovirus regions. Preferably, the helper-dependent adenoviral vector lacks nucleic acid encoding for any adenovirus proteins. A helper-dependent adenoviral vector is particularly useful as a vector for delivering genes into cells *in vivo*.

A "helper virus" refers to a virus expressing one or more proteins needed for viral generation of a helper-dependent adenovirus. Preferably, the helper virus contains the adenovirus 3' IRT, an adenovirus packaging signal, an adenovirus

5' IRT, and encodes for the proteins of the Adenovirus E2 and E4 and L regions. *Trans* elements not provided for by a helper virus may be provided for by other means such as by a cell. For example, a 293 cell can be employed to supply in *trans* needed E1 proteins in conjunction with a helper virus not expressing such proteins.

5                   Helper-dependent adenoviral vectors can be produced by co-cultivating with helper viruses in cell lines, wherein the helper virus alone or in combination with the cell line provide the *trans* functions needed for adenovirus generation. During co-cultivation of a helper-dependent adenoviral vector and a helper virus the two compete for packaging, producing a mixed viral population.

10                   Often, during co-cultivation the helper virus has a selection advantage, such that the mixed population of helper virus and helper-dependent adenoviral vector becomes predominantly helper virus, rather than the desired helper-dependent adenoviral vector. Even when this phenomenon does not occur, the presence of lesser, but significant, amounts of helper viruses still contaminates the helper-  
15                   dependent adenoviral vector preparation. Therefore, the viral populations may have to be separated physically and/or production of helper particles suppressed for the helper-dependent adenoviral vector to be used. Preferably, the percentage of helper virus in a purified helper-dependent adenoviral vector stock is below about 0.5%.

20                   Thus, a first aspect of the present invention describes a nucleic acid molecule comprising an excisable low homology packaging signal cassette. The packaging cassette comprises a low homology packaging signal cassette flanked by a recombinase recognition sequence. The modified packaging signal has low homology to a wild-type adenovirus packaging signal.

25                   “Flanked by a recombinase recognition sequence” indicates the presence of a recombinase recognition sequence 3' and 5' of the packaging signal allowing for excision of the flanked nucleic acid containing the packaging signal by a recombinase recognizing the recognition sequence. The recombinase recognition sequence does not need to be immediately 3' or 5' of the modified packaging signal. Preferably, the 3' and 5' recognition sequence are about 200 bp to about 2,000 bp  
30                   apart.

                  The modified packaging signal has low homology to a wild-type adenovirus packaging signal and still allows for packaging of the helper virus during its separate production. Preferably, the modified packaging signal is less efficient than a wild-type adenovirus packaging signal.

“Low homology” refers to a maximum of about 25 bp of contiguous sequence homology (100% sequence identity) between the modified packaging signal and a wild type packaging signal present in an adenovirus, preferably human adenovirus serotype 5. Low homology is determined by aligning the modified packaging signal with wild type packaging signal to obtain a stretch of maximum contiguous homology with sequences present in both the modified and wild type packaging signals. Preferably, contiguous sequence homology is at most 23 bp.

“Less efficient” than a wild-type adenovirus packaging signal indicates that the helper virus has a lower level of packaging when it contains the modified packaging signal than it has when it contains a wild-type packaging signal present in an adenovirus, preferably from a human adenovirus group C serotype, more preferably serotype 5. Preferably, the helper virus can still be produced at yields of at least 300 PFU/cell in cells lacking a compatible recombinase. Efficiency is preferably determined using titration by end point dilution assay described in the Examples below.

Reference to “modified” is not a limitation as to how the packaging signal sequence is produced. Instead, “modified” indicates that the sequence is not a wild-type sequence.

Another aspect of the present invention describes an adenoviral helper virus for production of helper-dependent vectors comprising:

- (a) an adenovirus genome having an E1 region deletion;
- (b) an excisable packaging signal cassette replacing a wild-type packaging signal, the excisable packaging signal cassette comprising a 5' *loxP* site, a modified packaging signal and a 3' *loxP* site, wherein the modified packaging signal has low homology to and is less efficient than the wild-type packaging signal; and
- (c) an optional insertion element comprising at least about 2900 base pairs of non-adenoviral DNA inserted in the E3 region without deleting any part of the E3 region.

Another aspect of the present invention describes a helper-dependent adenovirus vector comprising the following elements (in 5' to 3' order): (a) a 5'-inverted terminal repeat sequence; (b) a packaging signal; (c) one or more heterologous gene expression cassettes; (d) an optionally present E4 non-coding segment conferring a selective advantage; and (e) a 3' ITR; wherein (d) and (e) are located in the distal 400 bp of the adenovirus genome, and wherein the only

adenoviral sequences present in the vector are said 5'-inverted terminal repeat, said 3'-inverted terminal repeat, said packaging signal, and said nonexpressed segment of the E4 region.

5 The "E4 non-coding segment" refers to the nonexpressed segment of the E4 region co-localized with the E4 promoter. The segment is adjacent to the 3' ITR and, in human adenovirus serotype 5, is about 300 bp in length.

Another aspect of the present invention describes a helper-dependent adenovirus vector having a GC content between about 50% and about 60%. The vector comprises in a 5' to 3' direction: (a) a 5' ITR; (b) a packaging signal cassette  
10 directly joined to the 3' of the 5' ITR; (c) a first stuffer DNA at least about 1 kb; (d) at least one heterologous expression cassette; (e) a second stuffer DNA at least about 1 kb; (f) an optionally present non-coding E4 segment; and (g) a 3' ITR. Element (f) if present is directly joined to element (g). The virus does not encode one or more adenovirus proteins needed for adenovirus generation and is about 28 kb to about 36  
15 kb. Preferably, the virus does not encode any adenovirus proteins.

"Directly joined" indicates the absence of significant intervening sequences (*e.g.*, less than about 150 bp) that interfere with the function of "joined" groups.

"Stuffer sequences" refer to nucleic acid regions that do not express  
20 protein when present in a helper-dependent adenoviral vector. Preferably, such regions are mammalian non-gene regions or introns.

Another aspect of the present invention describes a cell line infected with a helper virus, a helper-dependent viral vector, or both the virus and the vector. Preferably, the cell line expresses E1 proteins and a recombinase, and is infected with  
25 a helper virus that (1) contains an excisable low homology signal packaging cassette, and (2) does not express E1 proteins needed for viral generation.

Another aspect of this invention is a method of generating helper-dependent adenoviral gene vectors in a cell line expressing E1 proteins and Cre recombinase comprising:

30 a) infecting the cell line with a helper-dependent vector comprising: a 5' ITR, a packaging signal, at least one heterologous expression cassette, human genomic stuffer DNA and a 3' ITR, wherein the overall size of the helper-dependent vector is between about 28 kb and 36 kb, and wherein no functional adenoviral

coding sequences and no bacterial origin of replication or bacterial marker genes are present;

- b) infecting the cell line with a helper virus comprising: an adenovirus genome having an E1 region deletion; an excisable packaging signal cassette replacing a wild-type packaging signal, the excisable packaging signal cassette comprising a 5' *loxP* site, a modified packaging signal and a 3' *loxP* site, wherein the modified packaging signal has low homology to and is less efficient than the wild-type packaging signal; and an optional insertion element comprising at least about 2900 base pairs of non-adenoviral DNA inserted in the E3 region without deleting any part of the E3 region; and
- c) obtaining the generated helper-dependent viral vectors.

Another aspect of the present invention describes a method of generating helper-dependent adenoviral vectors. The method involves producing a cell comprising: (i) *trans* functions needed for adenovirus generation and (ii) a helper-dependent adenoviral vector comprising the necessary *cis* functions needed for adenovirus generation and at least one heterologous expression cassette, wherein the helper-dependent adenoviral vector does not encode for any adenovirus proteins, is about 28 kb to about 36 kb, and has a GC content between about 50% and about 60%. The cell is used to generate the helper-dependent vector.

Reference to a cell comprising the *trans* functions needed for adenovirus generation indicates such functions are present in the cell, but need not be part of the cellular genome. The *trans* functions can be provided, for example, by a helper virus, the cellular genome, or a combination of both. Another example of a source of *trans* functions is a plasmid.

Other features and advantages of the present invention are apparent from the additional descriptions provided herein including the different examples. The provided examples illustrate different components and methodology useful in practicing the present invention. The examples do not limit the claimed invention. Based on the present disclosure the skilled artisan can identify and employ other components and methodology useful for practicing the present invention.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 shows the shuffling of fragments of a stuffer to prevent genomic integration of the expression units.

FIGURE 2 is a gel showing restriction digests of helper-dependent adenoviral vector DNA after competitive rescues of: a) stk120gfp-E4-promoter and stk120gfp; b) stk120gfp-E4 and stk120gfp; and c) stk120gfp-E4-promoter and stk120gfp-E4.

5           FIGURE 3 is a gel showing restriction digests of helper-dependent adenoviral vectors grown with the helper AdLC8BHG and a helper of this invention.

FIGURE 4 shows the structure of different helper-dependent adenoviral vectors.

10           FIGURE 5 shows autoradiographs of labeled restriction fragments from helper-dependent adenoviral vectors. The figure illustrates the results of competition experiments involving groups of helper-dependent adenoviral vectors from transfection to passage 6. "A" is a competition of backbones containing the shuffled fragments of cosmid HUMDXS455A (C4). "B" is a competition of backbones containing part of the HPRT (hypoxanthine guanine  
15           phosphoribosyltransferase) genomic gene. "C" is a competition between 2 backbones one containing part of the HPRT genomic gene the other containing the shuffled fragments of HUMDXS455A (C4).

FIGURE 6 is a graph showing the correlation between GC content and helper virus contamination.

20           FIGURE 7 is a graph showing the balance between helper and helper-dependent adenoviral vectors at different time points after infection. The figure demonstrates the replication potential of different helper-dependent adenoviral vectors with the mouse Erythropoetin gene relative to the helper virus.

## 25   DETAILED DESCRIPTION OF THE INVENTION

The present invention is particularly useful for obtaining and isolating helper-dependent adenoviral vectors produced using a helper virus. Co-cultivation of a helper-dependent adenoviral vector and a helper virus produces two different particles competing for packaging and results in a mixed viral population. The  
30           production of the helper virus in the mixed viral population reduces the amount of helper-dependent adenoviral vector produced, provides a viral contaminant that interferes with applications of the helper-dependent adenoviral vector, and produces a source of nucleic acid that can be recombined with helper-dependent adenoviral vectors

As described herein, production and isolation of helper-dependent adenoviral vectors can be facilitated in different ways. One way is to employ helper-dependent adenoviral vectors containing elements favoring viral generation of the helper-dependent adenoviral vector over a co-cultured helper virus. Another way is to employ helper viruses containing elements that can be employed to reduce the ability of the helper virus to grow, and /or recombine with the helper-dependent adenoviral vector.

The term "vector" employed herein is used in its broadest sense, and is meant to encompass a linear virus which can carry a heterologous gene, and or a plasmid which can contain one or more regions of a virus genome. The term encompasses a helper-dependent adenoviral vector and a helper virus.

Adenovirus components present in a helper or a helper-dependent vector may in general be provided from any adenovirus. Preferably, a human adenovirus serotype is used; more preferably, human adenovirus serotype 1-47; and more preferably, a group C serotype (*e.g.*, serotypes 1, 2, 5, and 6). Preferred group C serotypes are human adenovirus serotype 2 or 5, and more preferably serotype 5.

A helper-dependent adenoviral vector preferably contains a heterologous expression cassette. Such a cassette is made up of a heterologous gene functional coupled to a promoter and regulator elements needed for gene expression, and is particularly useful for introducing nucleic acid into a cell. The introduced nucleic acid preferably encodes for a gene or is able to regulate gene expression. Nucleic acid able to regulate gene expression include ribozymes and antisense nucleic acids.

The ability to introduce nucleic acid into a cell using the present invention has different applications such as in gene therapy, in antibody production (*e.g.*, a vaccine) and research to examine the regulation of a gene *in vivo* or *in vitro*. Different genes can be introduced into a cell such as Factor VIII, Factor VIX, CFTR, OTC, LDL, VEGF, FGF, EPO, HSV-TK, IL-2, IL-12, p53, HLA-B7,  $\alpha$ -interferon, and cytosine deaminase.

A promoter is a DNA sequence directing the synthesis of RNA through an RNA polymerase. Suitable promoters depend upon the gene and intended use, and may include promoters such as EF1 $\alpha$ , CMV, chicken  $\alpha$ -actin (Arnold, *et al.*, Nucleic Acids Res 1988 Mar 25;16(6):2411-29), and muscle creatine kinase (Johnson, *et al.*, Mol Cell Biol 1989 Aug;9(8):3393-9 ).



Generally, the regulatory elements that are present include a ribosome binding site, a terminator, and an optionally present operator. Another preferred element is a polyadenylation signal. Regulatory systems are available to control gene expression, such as GENE-SWITCH™ (Wang, *et al.*, *Gene Ther.* 1997 May;4(5):432-41, U.S. Patent No. 5,874,534 and International Publication WO 93/23431, each of which are hereby incorporated by reference herein) and those involving the tetracycline operator (U.S. Patent Nos. 5,464,758 and 5,650,298, both of which are hereby incorporated by reference herein).

A helper-dependent adenoviral vector is preferably from about 28 kb to about 36 kb to provide for efficient packaging. An adenovirus can accommodate up to about 105% of the wild-type genome and has a lower packaging limit of about 75% of the wild-type genome. (See, Parks, *et al.*, *J. Virology* 71(4):3293-3298, 1997, hereby incorporated by reference herein.) In a preferred embodiment, there are no bacterial plasmid-based sequences (such as an origin of replication or bacterial marker genes) present in the helper-dependent adenoviral vector.

Construction of helper viruses and helper-dependent viruses can be achieved based on the guidance provided herein using techniques well known in the art, such as those described by Ausubel, *Current Protocols in Molecular Biology*, John Wiley, 1987-1998, and Sambrook, *et al.*, in *Molecular Cloning, A laboratory Manual*, 2<sup>nd</sup> Edition, Cold Spring Harbor Laboratory Press, 1989, both of which are hereby incorporated by reference herein. Additional descriptions of useful techniques are provided, for example, in the Example section provided below and references such as Mitani, *et al.*, *Proc. Natl. Acad. Sci. USA* 92:3854-3858, 1995; Fisher, *et al.*, *Virology* 217:11-22, 1996; Kochanek, *et al.*, *Proc. Natl. Acad. Sci. USA* 93: 5731-5736, 1996; Parks, *et al.*, *Proc. Natl. Acad. Sci. USA* 93:13565-13570, 1996; Parks, *et al.*, *J. Virology* 71(4):3293-3298, 1997; and Schiedner, *et al.*, *Nature Genetics* 18:180-183, 1998; each of which are hereby incorporated by reference herein.

The helper-dependent adenoviral vector and the helper virus can be generated in a wide range of host cells able to be infected by adenovirus. Examples of host cells include 293 cells, 911 cells and PERC.6 cells (WO 97/00326 hereby incorporated by reference herein). The employed cell can be constructed to provide for useful proteins such as viral proteins or a recombinase.

#### HELPER VIRUS

Helper virus elements useful for facilitating the production and isolation of helper-dependent viruses include a low homology excisable packaging signal cassette and a substituted E3 region. Preferred helper viruses contain both a low homology excisable packaging signal and a substituted E3 gene.

5

#### Low Homology Excisable Packaging Signal Cassette

The low homology excisable packaging signal cassette contains a modified packaging sequence which fulfills the role of an adenovirus packaging signal, has a low homology to the Adenovirus packaging signal, and is flanked by a 3' and 5' recombinase recognition sequence. Preferably, the modified packaging signal is less efficient than a wild type packaging signal. Advantages of such low homology excisable packaging signals include: (1) less recombination between the helper virus and helper-dependent adenoviral vector; and (2) when a less efficient packaging signal is used, less packaging of those helper viruses which escaped excision of the packaging signal.

10  
15

Recombinase recognition sequences recombine when acted on by a recombinase that recognizes the sequences, resulting in the excision and circularisation of intervening nucleic acid. The recognition sequences should be sufficiently far apart, at least about 180 bp, to allow for the proper positioning of nucleic acid segments being recombined. Preferably, the recombinase recognition sequence is *loxP* or *frt*.

20

The *loxP* recognition sites can be positioned 3' and 5' of the packaging signal to allow for excision by Cre recombinase. Cells, such as 293 *cre* cells, stably expressing Cre recombinase can efficiently remove nucleic acid located between *loxP* recognition sites. (See, Parks, *et al.*, *Proc. Natl. Acad. Sci.* 93:13565-13570, 1996 and Parks, *et al.*, *J. Virology* 71(4):3293-3298, 1997, both hereby incorporated by reference herein).

25

The *frt* recognition sites can be positioned 3' and 5' of the packaging signal to allow for excision by Flp recombinase. Cells stably expressing Flp recombinase can efficiently remove nucleic acid located between *frt* recognition sites. Flp-mediated gene modifications are described in U.S. Patent No. 5,564,182, hereby incorporated by reference herein.

30

Homology between a helper and the helper-dependent adenoviral vector encourages recombination events between the two, resulting in unwanted

changes in the structure of the helper-dependent adenoviral vector or the helper virus, and leading to an increased contamination by helper virus. For example, if the first of a *loxP* site flanking the packaging signal is removed by homologous recombination within the packaging signal, the resulting helper virus escapes selection in 293cre cells because the Cre recombinase is no longer able to excise the packaging signal.

Sequences for different low homology excisable packaging signal cassettes can readily be designed taking into account recombinase recognition sequences and adenovirus wild-type packaging signal sequences using the guidance provided herein. The provided guidance focuses on the adenovirus serotype 5 packaging signal to illustrate the production of a modified packaging signal. Such guidance is applicable to producing other modified packaging signals taking into account other adenovirus serotypes.

The wild-type packaging signal of adenovirus serotype 5 is formed by at least seven functional units called A repeats, which are located between nt 230 and nt 380 of the genome. The A elements have the consensus sequence ATTTGN<sub>8</sub>GC (Schmid *et al*, 1997 *J. Virol.* 71:3375-3384, which is hereby incorporated by reference). The modified packaging signal of this invention preferably comprises less packaging elements than the wild-type (which has seven elements), preferably from about two to six elements, and more preferably from three to five elements. In a preferred embodiment, the modified packaging signal contains only four out of the seven original packaging elements (elements AI to AIV). The four elements are preferably in a modified form with two strong elements (AI and AII) present. The position of the elements relative to each other may be changed, but in preferred embodiments, it is maintained.

In order to reduce contiguous sequence homology, the eight ambiguous nucleotides of the consensus sequence (ATTTGN<sub>8</sub>GC; SEQ. ID. NO. 1) within each A element are preferably replaced by sequences taken from a different A element. For example, the eight nucleotides within AI were replaced by those from AV; and the eight nucleotides within AII were replaced by those from AVI. In addition, a new element was created between AII and AIII starting 21 bp after AII, by changing the existing nucleotides to the consensus sequence. Two more nucleotides were exchanged within AIV: ATTTTGTGTT (SEQ. ID. NO. 2) was changed to ATTTTGTTGT (SEQ. ID. NO. 3). One embodiment of a synthetic packaging signal is given in SEQ. ID. NO. 4.

Desired nucleic acid sequences can be produced using different techniques including those involving the creation of nucleic acid mutations and nucleic acid synthesis techniques. Examples of such techniques are provided in Ausubel, *Current Protocols in Molecular Biology*, John Wiley, 1987-1998, and  
5 Sambrook, *et al.*, in *Molecular Cloning, A laboratory Manual*, 2<sup>nd</sup> Edition, Cold Spring Harbor Laboratory Press, 1989, both of which are hereby incorporated by reference herein.

### E3 Insertion

10 Homologous recombination between viral sequences (E1) present in the cell lines used for propagation of either helper virus (lacking E1) or helper-dependent adenoviral vector, and the helper virus itself, has resulted in the generation of wild-type viruses. Homologous recombination results in the insertion of the E1 region into an E1-deleted virus genome. To avoid this problem, in preferred  
15 embodiments of this inventions, the helper virus also contains an insertion element. Preferably, the insertion element does not contain a promoter or encode for a protein when present in the helper virus. More preferably, the insertion element is non-coding repeat-free human DNA devoid of splice signals.

Parks, *et al.*, *Proc. Natl. Acad. Sci. USA* 93:13565-13570, 1996,  
20 describe the use of an E3 region containing an insert encoding for the ampicillin gene, the bacterial origin of replication, a CMV promoter and the luciferase gene (AdLC8BHG10luc). The insert protected against the production of viable viruses having a wild type E1 produced by homologous recombination. However, the insert impairs virus generation, most likely by interference with fiber gene expression. The  
25 resulting level of viral generation is disfavored for the production of viral stock.

The use of non-coding sequences as an E3 insertion element, preferably human non-gene sequences, provides for more efficient viral generation than that observed with E3 insertional elements encoding for bacterial protein described by Parks, *et al.*, *Proc. Natl. Acad. Sci. USA* 93:13565-13570, 1996 (see  
30 Table 1, *infra*.) The use of intron sequences are preferred because such sequences do not contain hidden splice signals that could interfere with correct splicing of the fiber message.

The size of the insertion element (preferably between about 2800 and 3500 bp, more preferably about 2900 bp) is chosen to avoid the generation of

potentially harmful wild-type viruses while maintaining a virus size close to wild-type size. Starting with a helper virus having a deleted E1, if homologous recombination occurs resulting in insertion of the E1 region, the recombined adenoviral vector which also contains the E3 insertion element would have a genome size of approximately  
5 38350 bp (108.1% of wild-type size). Because this size exceeds the packaging limit of Adenovirus 5, no viable virus would be produced.

The insertion element may be from virtually any source. In a preferred embodiment, a 2900 bp insert was taken from human chromosome 11q13, starting 13340 bp upstream of STS marker 11S1337 (available from Genethon) and inserted  
10 into the Xba I site at position (nt) 28593 (referring to Ad5 wild-type).

The insertion element and its insertion point in E3 should be chosen to avoid any reduction in synthesis of the fiber protein. Such a reduction is likely to occur if the E3 region is modified because synthesis of fiber protein is dependent on correct splicing of RNA from signals located in this region. We demonstrate that  
15 viruses containing the insert grow to titers similar to those obtained with viruses containing an unchanged E3 region.

#### HELPER-DEPENDENT ADENOVIRAL VECTOR

Helper-dependent adenoviral vector elements useful for facilitating the  
20 production and stability of helper-dependent adenoviral vectors include an E4 non-coding segment that confers a selective advantage to a virus and stuffer region(s) that provide a helper-dependent adenoviral vector with a GC content of about 50% to about 60%. Preferably, the helper-dependent adenoviral vector contains an E4 non-coding segment conferring a selective advantage to the vector; and stuffer region(s)  
25 providing the vector with a GC content of about 50% to about 60% and an overall size of about 28 kb to about 36 kb. In a preferred embodiment, there are no bacterial plasmid-based sequences (such as an origin of replication or bacterial marker genes) present in the helper-dependent adenoviral vector.

#### 30 Stuffer DNA

Stuffer sequences are used to provide a helper-dependent adenoviral vector with an overall size of about 28 kb to about 36 kb. A helper-dependent adenoviral vector containing only a heterologous expression cassette, adenoviral ITR's and a packaging signal may be quite small, in general about 5-10 kb, depending

on the size of the heterologous expression cassette. Because such a small virus does not package efficiently stuffer sequences are added to provide a final size of about 28 kb to about 36 kb. Preferably, the stuffer provides the vector with a GC content of about 50% to about 60%.

5                   Stuffer sequences used in gene therapy applications should not contain active genes or be recognized as foreign in a human cell. A preferred stuffer sequence replicates as well as the adenovirus itself, is not recognized by the host as foreign DNA and does not lead to chromosomal integration of the transgene.

                  Genomic DNA of mammalian origin, or even more preferably of  
10 human origin, are preferred stuffer sequences for gene therapy applications to avoid eliciting an immune response. However, stuffer based on human genomic DNA is identical to chromosomal sequences in a human target cell and could allow for insertion of the heterologous expression cassette into the host genome by homologous recombination. This phenomenon could have a potentially dangerous effect and  
15 should be prevented.

                  To prevent integration of the heterologous expression cassette into the host genome, the contiguous stuffer sequence can be interrupted, the individual fragments reversed and the expression units inserted at the specific breakpoints. (See for example, Figure 1.) Using this strategy, the transgene is not flanked by regions  
20 which would support homologous recombination. Additionally, potentially unstable genetic elements such as retrovirus LTR as well as genomic repeats (*e.g.*, MIR, and ALU) should avoided or removed to prevent rearrangements during amplification.

                  Another consideration is the GC content of the virus. The GC content that stuffer sequences provide to a helper-dependent adenoviral vector has a major  
25 impact on yield and purity of the virus. Competition experiments between different viruses as well as individual analysis revealed a correlation between the GC content of a virus and growth properties. The GC content is preferably between about 50% and about 60% and even more preferably between 52% and 57% which is close to the GC of wild-type adenovirus. Without being limited to any particular theory,  
30 advantageous growth properties are believed to be based on more efficient generation of a virus with a higher GC content.

                  Preferably, stuffer sequences are provided such that the heterologous gene cassette(s) that are present are at least about 1.0 kb from the helper-dependent viral vector 3' end and 5' end, more preferably at least about 2.0 kb, and more

preferably at least about 4.0 kb. Additionally, high AT rich segments such as those provided in the hprt fragment (59% AT) may be unfavorable even with a viral vector having an overall high GC content. A "high" AT is above about 55% AT.

5    E4 Non-coding Segment

          The E4 region of adenovirus type 5 occupies about 3000 bp at the right end of the genome. Transcription from the E4 promoter is directed from the right end toward the center. Seven polypeptides are produced from open reading frames (ORFs) located within the region with the first ORF starting at nucleotide (nt) 406  
10    from the right end of the virus.

          It was observed that the E4 region is sometimes transferred from a helper to a helper-dependent adenoviral vector as a result of homologous recombination. This recombined helper-dependent adenoviral vector generally is favored in co-cultivation with the non-recombined helper-dependent adenoviral  
15    vector and dominates in vector preparations. Despite its strength, this recombined helper-dependent adenoviral vector cannot be used as a helper-dependent vector for gene therapy because it contains functional E4 genes. Expression of those E4 genes in a host cause an immune rejection of vector infected cells by the host.

          In accordance with this invention, it has been determined that a  
20    noncoding segment of the E4 region confers a selective advantage when a virus is co-cultivated with a virus lacking the same element. The entire E4 region is not needed.

          From adenovirus serotype 5, the part of E4 between the 3' ITR (starting 102 nt from the right end) and nt 405 which does not contain coding sequence is the segment that should be preferably included into the helper-dependent vector and is a  
25    non-coding E4 segment. E4 sequences located left of this element have no additional impact on virus strength. This is of importance because all genes (open reading frames, orfs) are located in the left part of the E4 region. Thus, another aspect of this invention is a *cis*-acting sequence located next to the 3' ITR (right virus end) which is preferably incorporated into the helper-dependent adenoviral vector because it  
30    supports amplification of the helper-dependent adenoviral vector.

          Competition experiments were designed to determine the location of the beneficial element. Helper-dependent adenoviral vectors based on the vector stk120 (which contains only a 5' ITR, a 3' ITR and packaging signal as its viral-based nucleotides, as described in Morsy *et al.*, 1998, *Proc. Natl. Acad. Sci. USA* 95:7866-

7871, which is hereby incorporated by reference) were constructed containing either the 3' ITR only (stk120gfp), the 3' ITR and noncoding sequence of the E4 region until nt 400 from the right end (stk120gfp-E4promoter ) or the 3' ITR and the complete E4 region to nt 3115 from the right end (stk120gfp-E4). Pairs of these vectors were  
5 cotransfected at a 1:1 ratio to originate rescues of two competing helper-dependent adenoviral vectors.

After passage seven, viruses from at least three independent rescue procedures were purified, and DNA was extracted and analyzed by radioactively labeled restriction digests. The two competing helper-dependent adenoviral vectors  
10 have an almost identical restriction pattern. The only difference is in the size of one fragment, called the discriminating fragment. The discriminating fragment was found 5-10 fold stronger for stk120gfp-E4-promoter than for stk120gfp, and at least 4 fold stronger for stk120gfp-E4 than for stk120gfp (see Figures 2a and 2b). However, the discriminating fragments are of equal strength for stk120gfp-E4-promoter and  
15 stk120gfp-E4 in each rescue (see Figure 2c). Therefore an E4 element supporting helper-dependent adenoviral vector growth is present in stk120gfp-E4 promoter and stk120gfp-E4 and must be entirely located in the right part of the E4 region (between nucleotide -400 from the right end and the 3' ITR).

While not wishing to be bound by theory, it appears that there are two  
20 possible explanations for the selective advantage to the E4 segment-containing adenoviral vector: the E4 element allows for more effective replication of the virus or it confers improved packaging and stability. Our results indicate that the E4 segment does not effect replication. If infection is started with equal amounts of helper and helper-dependent adenoviral vectors, the ratio between helper and helper-dependent  
25 genomes inside the cell at the end of the production cycle (48 hours) is identical. However, 3-fold more helper-dependent adenoviral vectors were packaged for the genome containing the E4 segment compared to contaminating helper genomes. Thus, it appears that the E4 segment supports effective packaging.

## 30 EXAMPLES

Examples are provided below to further illustrate different features and advantages of the present invention. The examples also illustrate useful methodology for practicing the invention. These examples do not limit the claimed invention.



## EXAMPLE 1

General Materials And MethodsConstruction Of Plasmids

5 Cloning techniques described in J Sambrook, E.F. Fritsch and T. Maniatis, 1989 *Molecular Cloning*, Cold Spring Harbor Laboratory Press, which is hereby incorporated by reference, were used.

To generate plasmids containing the entire Ad5 genome, homologous recombination in *E. coli* based on the recF pathway was used. Competent cells of *E.*  
10 *coli* strain BJ 5183 were transformed with a plasmid vector containing the adenovirus genome and a fragment from the shuttle vector. This fragment contains the sequence to be inserted flanked on both sides by sequences homologous to the vector. In order to select against re-transformation of the vector without modification, it was linearized close to the insertion point. DNA isolated from individual colonies of  
15 BJ5183 was retransformed into the strain XL2 (Stratagene) and high yield plasmid preparations were obtained. Correct clones were determined by restriction analysis and sequencing.

Virus Rescue

20 10 $\mu$ g helper plasmid was digested with PacI and transfected by calcium phosphate coprecipitation into a 6 cm dish of subconfluent 293 cells. Directly after transfection cells were overlaid with  $\alpha$ MEM/ 10% FCS/ 0.8 % Seaplaque agarose. 20-100 plaques appeared after 7-9 days. Plaques were taken 12 days after transfection and used to reinfect cells. After two intermediate passages the  
25 cell lysate was used to infect NUNC-cell factories (NUNC). Cells were harvested 48 hours after infection and virus was released by three freeze/thaw steps (-70°C /37°C). After treatment of the cleared lysate with BENZONASE nuclease, viruses were purified by ultracentrifugation on a CsCl gradient. After one step gradient ( $q=1.5 / 1.35 / 1.25 \text{ g/cm}^3$ ) the viruses were loaded on a continuous gradient formed from  
30 a CsCl solution of  $q=1.35 \text{ g/cm}^3$ . Viruses were dialyzed against 10mM Tris pH 8.0, 10mM MgCl<sub>2</sub> and 10% glycerol and stored in aliquots at -70°C. Helper-dependent adenoviral vectors were purified using substantially the same procedure. For analytical purposes virus obtained from two 15 cm dishes was purified. Virus DNA was cut with Hind III or other restriction endonucleases, restriction fragments were

labeled using  $\alpha P^{33}dATP$  or  $dCTP$  and Klenow polymerase and separated in 0.7% agarose gels. The gel was dried and exposed to film.

#### Determination Of Particle Titer

- 5                   10 $\mu$ l of virus suspension was added to 90 $\mu$ l PBS/ 0.1% SDS and incubated at 50°C for 20 minutes. OD<sub>260</sub> is determined spectrophotometrically and the concentration of virus particles was calculated based on the equation 1 OD<sub>260</sub> = 1.1x10<sup>12</sup> particles.

#### 10   Extraction Of Viral DNA and Restriction Digest

- 100 $\mu$ l of virus suspension were added to 100 $\mu$ l lysis solution (10mM Tris-HCl pH 7.5, 10mM EDTA, 0.5% SDS, 0.05% pronase) under constant vortex. After an incubation at 37°C for at least 2 hours followed by addition of 100 $\mu$ l TE the lysate was extracted 1x with Tris-HCl saturated phenol. Virus DNA was precipitated  
15   with two volumes of ethanol, washed extensively with 70% ethanol and resuspended in TE. Virus DNA was cut with Hind III or other restriction endonucleases, restriction fragments were labeled using  $\alpha P^{33}dATP$  or  $dCTP$  and Klenow polymerase and separated in 0.7% agarose gels. The gel was dried and exposed to film.

#### 20   Extraction of Cellular DNA From Infected Cells

- 10<sup>6</sup> cells are lysed in 10mM Tris-HCl pH 7.5, 10mM EDTA, 0.5% SDS and treated with 100 $\mu$ g/ml Proteinase K overnight at 58°C. The lysate was extracted with Tris saturated phenol, phenol/chloroform/ isoamylalcohol (24:24:1) and chloroform, precipitated with two volumes of ethanol, washed extensively with 70%  
25   ethanol and resuspended in TE.

#### End Point Dilution Assay

- 96 well plates were seeded with 1x10<sup>4</sup> 293 cells in 100 $\mu$ l per well 24 hours before the assay. Each virus stock was diluted 10<sup>3</sup> to 10<sup>8</sup>- fold. Dilutions were  
30   used to infect 24 wells each (50 $\mu$ l/ well). Positive wells were scored by cytopathic effect after 14 days and the virus titer was calculated based on two dilutions with intermediate numbers of positive wells taking the dilution factor into account.

#### Quantitative PCR

Real time quantitative PCR (ABI PRISM 7700) was used to determine the relative amounts of helper and helper-dependent adenoviral vector. Two specific target sequences were selected present either in all helper viruses (Ad5 sequences from 11358-11456) or in all helper-dependent adenoviral vectors based on stk120 (bp 12037-12176) (Morsy *et al.*, 1998, *Proc. Natl. Acad. Sci. USA* 95:7866-7871). A plasmid containing both target sequences was constructed and used as one standard for both amplifications. Within each target sequence, a set of forward primer, reverse primer and probe (which is located between the primers and contains a fluorogenic reporter and a quencher) have been selected. Separation of quencher and reporter generated a fluorogenic signal during the logarithmic phase of PCR amplification which was plotted versus cycle number. The plot was used to calculate template concentration based on the software of the 7700 system (ABI).

## EXAMPLE 2

### Construction Of Helper Viruses

Helper viruses for the helper-dependent system were made based on Ad5. In order to obtain specific helper functions, the plasmid pAdE1-E3+ (containing the entire Ad5 genome with a complete deletion of the E1 region) was modified in two regions: i) between the left ITR and the promoter of protein IX; and ii) in the E3 region.

To introduce changes at the left end of the genome a shuttle vector "plox $\Delta$ pack" was constructed. It is based on pUC (Boehringer Mannheim) and contains the following elements:

A) nt 1-195 of Ad 5 linked to a unique Pac I site immediately before nt 1;

B) a *loxP* site starting directly after nt 195 of Ad5;

C) a synthetic packaging signal contained in the following sequence:  
 5'- GTACACAGGA AGTGACTTTT AACGCGCGGT TTGTTACGGA  
 TGTTGTAGTA AATTTGTCTA GGGCCGAGTA AGATTTGACC  
 GTTTACGCGG GGACTTTGAA TAAGAGCGAG TGAAATCTGA  
 ATAATTTTGT TGTACTCATA GCGCGTAATC TCTAGACG-3' (SEQ.ID.NO:4).

D) a second *loxP* site;

E) a linker containing cloning sites; and

F) 2247 nucleotides of Ad5 sequence starting from nt 3534 (according to wild-type adenovirus numbering).

For comparison, a second shuttle vector, "plopack", containing the wild type packaging signal instead of the synthetic one was constructed. It contained:

5 A) nt 1-195 of Ad 5 linked to a unique Pac I site immediately before nt 1;

B) a *loxP* site starting directly after nt 195 of Ad5;

C) Elements AI-AIV of the wild-type packaging signal contained in the following sequence:

10 5'-GTACA CAGGAAGTGA CAATTTTCGC GCGGTTTTAG  
GCGGATGTTGTAGT AAATTT GGGCGTAACC GAGTAAGATT  
TGGCCATTTT CGCGGGAAACTGAA TAAGA GGAAGTGAAA  
TCTGAATAAT TTTGTGTTAC TCATAGCGCGTAATCTC TAGACG-3' (SEQ.  
ID. NO. 5)

15 D) a second lox P site;

E) a linker containing cloning sites; and

F) 2247 nucleotides of Ad5 sequence starting from nt 3534 (according to wild-type adenovirus numbering).

20 The second shuttle vector was generated by cloning the 4.9kb XhoI fragment from Ad5 wild-type (Ad5wt) DNA (nt 24797-29791) into pUC. A 2900 bp fragment of human DNA located on chromosome 11q13 starting 13340 bp upstream of STS marker 11S1337 (Genethon) was obtained by PCR and inserted into the XbaI site at nt 28593 (Ad5wt) in either orientation. This fragment contains part of inton 2 of the human LRP5 gene.

25 A strategy based on homologous recombination between plasmids in *E. coli* (Chartier, *et al.*, 1996 *J. Virol* 70: 4805-4810, which is hereby incorporated by reference) was used to introduce those sequence elements into plasmid pAd5E1-E3+ containing a complete Ad5 genome with a deletion of E1. The procedure allowed for insertion of those elements at exactly the positions described for the shuttle vectors.

30 The flanking Ad5 derived sequences were completely maintained. The following plasmids for new helper viruses were constructed:

pAdlspL11 = Helper 14 -- has synthetic packaging signal, intron of LRP5 in E3;

pAdlpLI1 = Helper 1 -- has wild type packaging signal, intron of LRP5 in E3;

pAdlpE3 = Helper 11- -has wild type packaging signal, wild type E3.

Plasmids containing the Ad 5 genome with the described modifications were digested with PacI to release the virus genome from the plasmid and transfected into 293 cells by calcium phosphate coprecipitation. Resulting virus plaques were used to reinfect cells. Amplified virus stocks were characterized by restriction and sequence analysis.

#### 1. Growth of helper viruses in 293 and 293cre cells

Different helper viruses as well as a E1 deficient adenovirus (dl70-3) (Bett et al. *Proc. Natl. Acad. Sci. USA* 91:8902-8906 which is hereby incorporated by reference) taken as control, were grown in 10 layer NUNC cell factories, purified in CsCl Gradients and dialyzed. The virus concentration (particle concentration) was determined by spectro-photometric analysis (OD<sub>260</sub>). 1.5 x 10<sup>6</sup> cells (293 or 293 cre) were infected in a 6 cm plate with 100 particles per cell. CPE was apparent in all plates after 48 hours. Cells and medium were harvested, frozen and thawed 3x and the titer was determined in an end point dilution assay. The number of infectious viruses produced per cell was calculated and the results are shown in Table 1.

Table 1

	dl70-3 Ad without lox	AdLC8BHG10luc	AdlpLI1 Helper 1 Wt. Ψ	AdlpLI1 Helper 14 Synth. Ψ
293cells	1200*	27	840	610
293cre4 cells	1400	1.2	1.3	0.8

\*infectious units per cell

The amplification rate for all new helper viruses exceeds that of AdLC8BHG10luc (Parks et al., 1996, *Proc. Natl. Acad. Sci. USA* 93:13565-13570, which is hereby incorporated by reference) by at least 20 fold. The growth of the helper viruses in contrast to dl70-3 is well controlled in 293cre4 cells. These cells release only 1-2 infectious particles/cell. The rate of suppression is therefore

dramatically increased for the new helper viruses. Viruses without or with the insert in E3 in either orientation do not differ much in virus yields; thus, the chosen E3 insert did not have a major impact on virus growth.

5      2. Amplification of helper-dependent adenoviral vectors over a single passage

                    A characterized stock (known particle titer and helper contamination) of a helper-dependent adenoviral vector containing the human OTC gene was used to infect 293 $cre$  cells. Cells were infected with 700 particles of the helper-dependent adenoviral vector and 100 particles of one of the helper viruses per cell. After 48  
10      hours cells were collected, virus was released through 3 freeze/thaw steps and purified by Cs banding. Particle titers were determined by spectrophotometric analysis (OD<sub>260</sub>). Virus DNA was extracted and analyzed by restriction digests (Figure 3).  
                    Overall virus yield was slightly increased for the new helper virus over helper AdLC8BHG10luc. However, the ratio between DNA-containing particles and empty  
15      particles is increased for the new helper. Since helper DNA is undetectable in the gel, helper virus does not contribute significantly to the overall output.

                    To determine helper contamination more accurately, quantitative PCR based on Taqman<sup>TM</sup> technology was used. Contamination was similar between the helper AdLC8BHG10luc and the helper LPLI1 containing the original packaging  
20      signal, whereas the amplification supported by helper LSPLI1 containing the modified packaging signal resulted in a lower contamination (0.29%) (Table 2). This is expected because yields of virus grown in 293 cells are lower than those of an identical virus containing the normal packaging signal. Therefore helper virus which  
25      would escape  $cre$ -selection should still have a selective disadvantage.

Table 2

	HD Virus Productivity	Helper Contamination		
		%cont.	St. Dev.	%RSD
AdLC8BHG10luc	4800	0.52%	0.1%	22%
Helper 1 (Wt. $\Psi$ )	5300	0.42%	0.12%	28%
Helper 14 (Synth. $\Psi$ )	8100	0.29%	0.06%	21%

### 3. Construction of modified backbones

5                   Constructions are based on plasmid stk120 (Morsy *et al.*, 1998, *supra*) containing a CMV promoter driven gfp (green florescent protein) gene within the stuffer sequences at a unique *Swa*I site (stk120gfp). In order to incorporate the additional elements into the helper-dependent adenoviral vector, the 3' ITR (130 bp) was extended to 400 bp from the right end of the Ad5 genome. This fragment  
10 contains the complete E4 promoter region. However, no adenovirus coding sequences are present. The resulting adenoviral vector is stk120gfp-E4-promoter.

                  In a second construct, a 1353 bp fragment from the right end of stk120gfp containing part of the stuffer sequence and the 3' ITR was replaced by a 3115 bp fragment of Ad5 from a *Mun*I site to the end of the genome (stk120gfp-E4).  
15 This fragment contains the complete functional E4 region.

### 4. Competition between helper-dependent adenoviral vectors

                  Genomes for stk120gfp and stk120gfp-E4-promoter were released from the respective plasmids and cotransfected with a circular plasmid containing the entire helper genome into 293 cre cells at a 1:1:2 ratio followed by infection with  
20 helper virus at moi 1.

                  The mixture of viruses was amplified up to passage 7 where the viruses were Cs-purified. Five independent experiments were carried out. Virus DNA was extracted and analyzed for presence of the two virus types. In all  
25 experiments a 5-10 fold excess of stk120gfp-E4-promoter was found (Figure 2a). This indicates the presence of a *cis*-acting sequence located next to the 3' ITR (right virus end) which supports helper-dependent adenoviral vector growth.

An identical experiment was carried out to determine whether the complete element is located within 400 bp from the right virus end or sequences further upstream contribute to this feature. *stk120gfp-E4-promoter* and *stk120gfp-E4* were cotransfected with the circular plasmid containing the entire helper genome (Helper 14) into 293 *cre* cells at a 1:1:2 ratio followed by infection with helper virus 36 hours after transfection at moi 1. After passage 7, viruses from three independent rescue procedures were purified, DNA was extracted, digested with *BsrGI* and labeled. The discriminating fragments have equal strength for each rescue (Figure 2c). Therefore, the *cis*-acting sequence supporting helper-dependent adenoviral vector growth is located between nucleotide -400 from the right end and the 3' ITR.

### Example 3

#### Construction Of Helper-Dependent Adenoviral Backbone Containing Alternative Stuffer Sequences

The construction of the new helper-dependent adenoviral vectors (group A) began with the ligation of a 3498 bp fragment from *pSTK120* (which comprised of the bacterial sequences origin of replication and ampicillin resistance gene, the right and left ITRs and the packaging signal) ligated with a multiple cloning site linker (SEQ. ID. NOs. 6 and 7) containing *HindIII* sticky ends and cloning sites *EagI*, *AscI*, *BglII*, *NotI*, *XbaI*, *MluI*, *EcoRI* and *KasI*. This clone is named "pITRF".

DNA from the region encompassed within *HUMDXS455A* (Genebank Accession # L31948) used as stuffer DNA was amplified from human genomic DNA in four segments of about 4.5kb each using the following pairs of primers:

SEQ. ID NOs. 8 and 9 (PCR 1)  
 25 SEQ. ID NOs. 10 and 11 (PCR2)  
 SEQ. ID NOs. 12 and 13 (PCR3)  
 SEQ. ID NOs. 14 and 15 (PCR4)

PCR1 product was Klenow filled in and then digested with *AscI*. It was ligated directly into the *AscI*/*EcoRV* of pITRF to produce "Construct 1".

30 PCR2 product was digested with *NotI*/*AscI* and cloned into the *NotI*/*AscI* site of Construct 1 to produce "Construct 2". PCR3 product and Construct 2 were digested with *MluI*/*NotI* (double digest) and ligated to produce "Construct 3". The PCR4 product was first cloned into a TA cloning vector.



To avoid inefficient direct cloning for very large plasmids homologous recombination in *E. coli* BJ 5183 was used to insert PCR4 and additional genomic fragments. The technique requires a small shuttle vector containing the region which overlaps with the insertion point in the large plasmid. This shuttle vector was  
5 constructed as follows: 2 kb of the junction over PCR3 and vector sequence was amplified using Construct 3 DNA. The PCR fragment was Klenow filled in and then digested with SapI enzyme and ligated into PABS helper-dependent-3.0, a small plasmid vector (KanR) cut with EcoRI followed by a fill in reaction using Klenow and a digestion with SapI. Homologous recombination between Construct 3 and the  
10 shuttle resulted in Construct 4 (C4).

The helper-dependent adenoviral vector part of C4 is 20kb in length and has 3 unique restriction enzyme sites to incorporate 3 different transgenes (AscI, NotI and SmaI).

As a next step, a CMV promoter driven gfp gene was inserted into the  
15 NotI site of C4 by homologous recombination. For this purpose, a shuttle vector was built containing 2 kb of C4 overlapping the NotI site (pNot). The gfp expression unit was inserted by blunt end cloning into NotI and a fragment of this vector was used for homologous recombination with C4. Because a single NotI site is also present in the gfp expression unit, the gene can later be replaced by other genes using this restriction  
20 site. The gfp gene is located at a junction between 2 inverted genomic fragments which prevents insertion into the host genome by homologous recombination which would be likely, if the gene was inserted within a contiguous sequence.

To incorporate additional stuffer sequences and extend the 3' ITR to include the E4 promoter, a second shuttle based on pABSHD-3 was constructed  
25 containing 2 kb of C4 including the 3' ITR and unique KasI, SalI, BglII and HindIII sites for insertion. The E4 promoter was directly cloned as a Hind III/ SalI fragment into this shuttle vector.

Stuffer DNA fragments AFO, HSU, ER1, and ER2 (Figure 4), were amplified from human genomic DNA by PCR Expand Kit (Boehringer) and cloned  
30 into the Topo-blunt vector (Invitrogene). AFO and HSU were inserted individually as SalI fragments, the ER1 and ER2 fragments were inserted sequentially after KasI/ BglII and BglII/ Sal digests. Recombination in *E. coli* BJ 5183 lead to the final backbones C4HSU (SEQ. ID. NO. 16), C4AFO (SEQ. ID. NO. 17), and C4ER (Figure 4).

Construction of the new helper-dependent backbones (group B) was started by replacement of a 8181bp fragment from stk120 by the gfp expression unit. For this purpose a shuttle vector was built based on pUC 18 containing 1kb 5' to the unique SwaI site and 1kb 3' to the unique EagI site in stk 120. The gfp expression unit was inserted into the Bam HI site of this shuttle as a BglII fragment. The replacement was carried out by homologous recombination in *E. coli* BJ 5183 between STK 120 linearized with EagI and a fragment of the shuttle vector. This step removes a part of the hprt region from the vector which was most frequently lost during adenoviral vector propagation. This vector "STKSEgfp" is 19.4 kb in length and misses about 10kb of genomic sequence required for propagation as a helper-dependent adenoviral vector.

Fragments AFO and HSU were cloned after SalI digestion into the Sal I site of shuttle vector pSH1-3ITR which contains part of the HUMDXS455A - fragment in STK120 and the 3' end of Ad5 starting from nt -400 containing the E4 promoter and the 3' ITR. The fragments ER1 and ER2 were inserted step by step into the same vector as SalI /BamH1 and BamH1/BglII fragments. The 3 resulting different shuttle vectors were recombined with STKSEgfp linearized with PacI to generate HXAFO, HXHSU and HXER (Figure 4).

20

#### Example 4

##### Generation Of Helper-Dependent Adenoviral Vectors

Cells from subconfluent plates were washed with PBS, trypsinized and seeded to 6 well plates (Costar) at  $3 \times 10^5$  cells per well in 1.5ml medium. Genomes for helper-dependent adenoviral vector were released from the respective plasmids by Pme I digestion and  $2\mu\text{g}$  of DNA were cotransfected with a  $2\mu\text{g}$  circular plasmid containing the entire helper genome per well. A 24 hour transfection was followed by infection with helper virus at 1 moi. Forty-eight hours later cells were lysed by 3 freeze/thaw cycles and the lysate was used to infect  $10^6$  293cre cells together with Helper virus at MOI 5. Cells were lysed 48 hours later.

30

The same procedure was repeated with increasing the number of cells until passage 6 at which two 15 cm plates are infected. At this stage helper-dependent adenoviral vector is isolated by CsCl banding and analyzed by restriction digestion. Passage 6 is also used to infect a large scale preparation (1x10 layer Nunc cell factory).

35

## Example 5

Competition Between Helper-Dependent Adenoviral Vectors

Virus rescue in a competition experiment was performed using the procedures described above and, instead of DNA from a single vector plasmid, a  
5 equimolar mixture of 3 vectors was used. Three mixed rescues were carried out: one with HXAFO, HXHSU and HXER; one with C4AFO, C4HSU and C4ER; and the third with HXHSU and C4HSU. No rearrangements were observed in either the individual or the mixed rescues.

As shown in Figure 5 there are only moderate differences between  
10 backbones within the first 2 groups with a slight dominance of the C4HSU construct. However, in a competition experiment between HXHSU and C4HSU the latter clearly dominated. Thus, the remaining hpvt sequences in HXHSU have an adverse effect on adenoviral vector propagation.

## Example 6

Analysis Of Large Scale Preparations Of Helper-Dependent Adenoviral Vectors  
STK120-EF1amEPO, C4AFO-EF1amEPO and C4HSU-EF1amEPO

To investigate the behavior of the new helper-dependent adenoviral  
vector *in vivo*, the gfp gene was replaced in STK120, C4AFO and C4HSU by the in  
20 mice immunologically inert mEPO gene. Replacement was carried out using the shuttle pNot by homologous recombination. Viruses were rescued as described above. Large scale amplifications were carried out in Nunc cell factories and the virus was purified as described above.

Since the size of the helper-dependent adenoviral vector and the helper  
25 differ only slightly, the purification procedure does not remove helper virus from the preparation. Such a physical separation was not intended to allow for a replacement of gradient based by chromatography based purification in large scale. DNA was extracted from purified virus and the content of helper virus relative to the amount of helper-dependent adenoviral vector was determined by Taqman™ quantitative PCR.

30 We observed a correlation between the helper content and the GC content of the helper-dependent adenoviral vector (see Figure 6). The experiment with Construct C4HSU has the lowest helper content (about 0.18%) compared to a helper content of about 1% for stk120.

## Example 7

Analysis Of The Replication Potential OfDifferent Helper-Dependent Adenoviral Vectors

5 Cells were infected with 100 part/cell of helper and 300 part/cell of the  
helper-dependent adenoviral vector. Three hours after infection 1/3 of the cells was  
harvested and washed with PBS. Another portion was harvested at 42 hours and a  
third fraction at 48 hours. Cellular DNA was extracted as described above and the  
10 relative amount of helper and helper-dependent adenoviral vector DNA was  
determined by Taqman™ PCR (Figure 7).

Figure 7 shows that if the rescue is started with an excess of helper-  
dependent adenoviral vector, the ratio of helper-dependent/helper is maintained and  
even slightly increased for C4HSU, whereas it is strongly decreasing for STK120 and  
slightly decreasing for C4AFO. This shows that the nature of the backbone has a  
15 strong impact on the speed of replication. Whereas the Adenovirus genome  
coevolved with the adenovirus polymerase, the helper-dependent adenoviral vector  
sequence was artificially selected. Therefore a less efficient replication is expected.  
However, the most important determinant seems to be the GC content of the helper-  
dependent adenoviral vector.

20

## Example 8

Sequence Information

The different sequences for the SEQ. ID. NOs. referred to in the  
application are as follows:

25

SEQ. ID. NO. 1

ATTTGN8GC

SEQ. ID. NO. 2

30

ATTTTGTGTT

SEQ. ID. NO. 3

ATTTTGTGTT

SEQ. ID. NO. 4

GTACACAGGA AGTGACTTTT AACGCGCGGT TTGTTACGGA  
TGTTGTAGTA AATTTGTCTA GGGCCGAGTA AGATTTGACC  
GTTTACGCGG GGACTTTGAA TAAGAGCGAG TGAAATCTGA  
5 ATAATTTTGT TGTACTCATA GCGCGTAATC TCTAGACG

SEQ. ID. NO. 5

GTACA CAGGAAGTGA CAATTTTCGC GCGGTTTTAG GCGGATGTTGTAGT  
AAATTT GGGCGTAACC GAGTAAGATT TGGCCATTTT  
10 CGCGGGAAAACTGAA TAAGA GGAAGTGAAA TCTGAATAAT  
TTTGTGTTAC TCATAGCGCGTAATCTC TAGACG

SEQ. ID. NO. 6

AGCTCGGCCGATTATTGGCGCGCCAGATCTGCGGCCGCTTCTAGAAACGC  
15 GTGAATTCGGCGCCA

SEQ. ID. NO. 7

AGCTTGCGCCGAATTCACGCGTTTCTAGAAGCGGCCGCAGATCTGGCGC  
GCCAATAATCGGCCG  
20

SEQ. ID. NO. 8

ATTGGCGCGCCTTCTTTCTGGGATGATTCAGCATCAACTC

SEQ. ID. NO. 9

25 GATCGTCGGCCGCTTGGGTCATAGACTTCTTTGAGAACCAG

SEQ. ID. NO. 10

ATCAGTTAGCGGCCGCACAAGCTAAGATCACAAAGCTGTTT

SEQ. ID. NO. 11

30 TATGGCGCGCCGCTGACACCCAGCCTGGGTGCCGGTG

SEQ. ID. NO. 12

TCGACGCGTAGCGCTGTGTGGCCTTGGCAGTTTCCATAG

SEQ. ID. NO. 13

TCAGTAATGCGGCCGCGGGATCATTCTGGACTCAGATTGTTCTG

5 SEQ. ID. NO. 14

TATTAAGGCGCCGGGCATGGGAGTGATCTCACCAACTCTGG

SEQ. ID. NO. 15

TCGACGCGTATTTAAATGTGCTGGAGTGTTGAGATACTGTAGTGGT

10

SEQ. ID. NO. 16*Helper Dependent vector C4HSU*

The sequence is shown without transgenes.

AAACATCATCAATAATATACCTTATTTTGGATTGAAGCCAATATGATAATG  
15 AGGGGGTGGAGTTTGTGACGTGGCGCGGGGCGTGGGAACGGGGCGGGTG  
ACGTAGTAGTGTGGCGGAAGTGTGATGTTGCAAGTGTGGCGGAACACATG  
TAAGCGACGGATGTGGCAAAAGTGACGTTTTTGGTGTGCGCCGGTGTACA  
CAGGAAGTGACAATTTTCGCGCGGTTTTAGGCGGATGTTGTAGTAAATTT  
GGGCGTAACCGAGTAAGATTTGGCCATTTTCGCGGGGAAAACCTGAATAAGA  
20 GGAAGTGAAATCTGAATAATTTTGTGTTACTCATAGCGCGTAATATTTGTC  
TAGGGCCGCGGGGACTTTGACCGTTTACGTGGAGACTCGCCCAGGTGTTT  
TTCTCAGGTGTTTTCCGCGTTCGGGGTCAAAGTTGGCGTTTTGATTCGGCC  
GCTTGGGTCATAGACTTCTTTGAGAACCAGTTATAAGCTATGGTTTCTCTC  
CACAGAAAAAGCACTTATGGTGTCTCCCCCTTCCAGCCCACCAACATTTT  
25 ACATCTAATTTGGGGGGGTTTTCTGGACCACTTAATACCCATCCATGGATC  
TCATGTGAAGACTCCCCTGGCTTGAGAAATCACTGTCTTGTTGAAAATGG  
GAACAAAGCTAAGTCAGATAGCTGGTTCATCAGCAATGACTTTGACCAAG  
CCTGATCCCACCCTACCCCAACCCACCCAGTGACCACCCCCACAATGG  
AGCACACAACCTCTAACTGGTTTGTAGGTATGTGTGTGTGAACACGCTGA  
30 GGAATCTGCAAAACCAATGGTGAGTGCAAAACCAACAGTCACGAGTA  
AATCTCACAACAACCACGTCCTGAGCTGCAGCCCTTGTTGAACTATACCC  
CACTAGGGCCCCAAGATTTTAGGACTTGTGTGTGGGTGGGACCTCCCCTTT

CTATCATGCTTTAGAAAGACAGGGATTTCCACCAGAATTGAACATATTGAAC  
ATATGACCCATTTTTTTTCAGCCAAAGGCAATTAAAATAACTTCATACTTGA  
TATCCATGTCAGCAAAAGCTGCAAAACGCAAATGGGTGGCTGCTAAGAGC  
CCTGGTACCCTGACGAGCACACCAAGTGCTTAGCAACAGTGGTGTCCAAA  
5 GGACCAGCTGGAAGCCTGCCTTGATGAGAAGTTGCTCTTCTTTCTACATGA  
AGGAACACCTCTACTCTCCTGCTTTTTAATACCTGAGCTGTGAGTGATCATC  
TATGTCCATTAGCAAACATCCCAGTGGAGAAGGAAACACTCATACCCGAA  
ATCTAAGCTACATAGTTGGAATCACTTCAACTTATTGCAATAAACACTTAC  
TAAGCACCTATTGTGGGCAAGTCTTTGCAATGGATAATAGTTCAGTAGAT  
10 ATTTTGATGTAATATTTGAAATAACAATAAAAATTGCCACCCTGAATTTA  
TTGAGCATTTGCTGTGCTTTAGGCACTAACCCAGGTTCTTTAAATATTTGG  
TCTTATTCGATCTGTATAAATAGCCATCTATGAGAAAGGGACTATTATTGC  
CCTTATTTTACAAATGAGGCCAATGAGGCCAGAGAGGTTAACTAAGTTG  
CCCAAATCATACAGCCCCTAGTGGCAGAGCAGGATGCAAACCCAGGC  
15 TTGCCTCGTTCCCAAGCCCACATGTCGTTTGCATTGGTGTGGAGGTGTGCA  
TGTGTTTAGTCATTAGCATGTTATATGATAAGCAAGTTTTGAAACATAGAA  
ACTTAAAATGTGCCATTAAGAAAAGTACAGGCAAGGTTTTCCAAGGGGAG  
GTGTGGACCTCCGGACAAATTTTTAAGAACTAATTATAAATACTTAAAAA  
TGGGAATAAGAAGACAACCTAACTACCTGAACAGTTTTAGAGATGACTCA  
20 TGCCCAACCCTCTAAAACCCAAACAAAAACAACAAAGTCAAGAAAACCCA  
TGAAATCTTAGCAAGCGATTTCTATGTACTTGTGAAAAGGATTTCTTTACC  
ATTCTAATGGGATTTATGCCAACCATAGAGGGCTCAGTGCCCCTCCCATG  
GGGTGGTTAGTGAGTACAGAGCTGAGCTCACCGGCCATCTGCAGCTTCAT  
GTTATCAAGCTCCAGTTTGTCTTGGAGCAAGGTTATCTGGGACATGAGC  
25 AGAGGCATTGCTTTCTGCAATGGACAGTTCTTTCTGCCTGCATACCTAGCT  
CCTTGATAACTTTAAATACCATTTTATAGCCACACTGGAGTTTTGAAGACC  
TCAATATGCAAATATTACTCAGGTTCTGATTACTTGTCTGCTCCATGATAA  
CACACTCTAAAAGCAATGAATGGGGCTTATTTGTAGAGAACTGAAGCATT  
TTAAGCTTTTGCTCAGGAATCCCTGGTAGCTTCCTGTGACTTGCAAGATAT  
30 TAGTGATGGGTCAAGAAACAGGACCCCCCATCAGCATAACATACGCAGTG

CCTCAGTAGTCCATCAGGCAGAAAAAACTGCAGATGGCACATGGAAATG  
ACCAGCGGCGGAAGATACCCCGACAGTGTGGGCAGTTCTATTTTCAGCAGC  
AATCAAGAGGGGGCCTGGAGCCACTCAATCAAGTGGAGCAGGATGGGAG  
CAAGCACTGTGCAGACCAATGCAATCCCCAGTTAACACAAAAAATAAATA  
5 AAAGAGATGAGATTTCAGTCTCTTGACTGTGACTGACTGGGAGCTTTATAG  
CTGATGCTTGTGTCTTTTCTCCATTTTATTTAATTAGGAAAAGAAATGCTT  
ATCACACACTCTACGTGTGAGGTACAACCTCCACAGGAAAGGTTGTTAGG  
AACATTTCAACTTCTAGAAGTTTCTAAACATAAGGTAAATCCATCTTTGTC  
CTTGGGATCACTGCACATCTCAGAAAGGCAAATAAATCAGTAATTGGTGG  
10 GCATAATTACTAGCTCATGGACTGACAAGGTCTACACTATTTTCGAATCTCA  
CAGAAGTAAGCCATGGGACAGATAGAGTCTGATAGTGGTGCCCCGTTTCC  
TGGAGGTCACACTTACTCATCCCCCTGGACCCTGGGCTTCTCATGATTGTC  
AGAGAGTTTGCTGGAACCAGGTCAGCCCAGTTTCCCTTCCCCTGAAAAAT  
CCTCCAATGGCTCGCACCAAGACTAGAGATGCAAGTGCAAGCACATCCAC  
15 CCTCTCAGCAGCCAGGTTTTGCGTTCCATAATGTCACGTACCCCCAGTCAT  
ACCAATCTCCTTGGAGCTCTCCAGACAGGCTGCCATGTGTGGTCGGCCCTC  
TGTGCTTGTGCTCCTTGGTTTGCCAAGCCTGGAATGCCCTTTCTCCATGAT  
TGTACTCTGGGAATTCTGTGTGTCTTTTCGAGATGAAGCTCCTCCACCCTGG  
AAATTCTGCCTCTCTTTCCAGGTCCAGCTCCTGTGGCTGAATACCCTTGGC  
20 TGACTGAACATTCTTGCTGGGCCAAGTCTTAATCATCTCTAAATCCCTCTG  
GTGCCCCGACAGTATCTAGCCCAGGCAAAGGGCTCAGCAAATACTTGCAA  
AATTCAATAAACTTTACTATGTTACTAGCTTGGCATGATGTTCTAGGCACT  
TGGGAGATTATAATCTGGTGAGCATTGTGCTAGTCTTTTTTTTGGGATAAA  
CACCAATGATAAACTGAGCCTTTACTCTCATTTTAGCACATCTACTCATCT  
25 CTTTTCAATGCTGGTGGGTTTATAAAACCCATCAGTAGAACAGAGAGTGA  
TCATAATCATATGGTGAAAATAACATCAGCTAACATATTTACTGAACATG  
CTTTAGTGTGCTGGGCACTGAACTCTGTGCACATGTGAATTTGAGATAGAT  
TGTTCCCTAGCTAATAAGATGAGGAAGTGGAGATGGGCTTACTCAAGTCAC  
ACAATAGCAAGATGGGGTACAGACAGAAACCAAGCTAGAAACCAAGCAA  
30 CCCCTGGGTTTGGAATGCATGGGCTCCTCCTCTGCACATGGCGAGGAGC



AGTCAGGTGCTCCTCCTTCTCTCATACTGAAATAACTCTGCACTTTTGGCT  
ATTCTGTGACACTCTGTGCTATTCTGTAGCTCAAATGGCTCTGGTGCAAGG  
AGCTCAGATTATGACTAACCCCCATAGATATTCAGCTGCTTTGCAAGAAG  
TGGATGAATGCTCTGGCTTTATAAATTATTGACTAGATTGGATATTGGCCC  
5 AATCTCCACTCTGGTGATTTCGGAAGGAGGCATATGCACATTTGCAAGGTT  
ATAGTAGTGCACTCTAATTCCACTGGCTTCTGAGAGCTTGTAGGTTTCTTG  
ACTTAATCATTCTGGAATTAAGGTAATGGATCCTCAACACCTTTTCTTTCC  
CTGGCCTTTACTAACCATGTAACAGAAATGAGCAGAGAAAACCCAAGAA  
AGCGAACTGGAGACTTGATGAGTGTGTCAAAGATGCTCAGAGTCCAAGGT  
10 CCTCTGTGGCTCACTGACTTCAGAAGCCAACCTCCGTTGTTCAAGTCACTT  
GTGAGGTTACTATGCTAGAGCACTAAATATTATCCAGATAGCCCAAAGAG  
GTGAAGGCAGACATGTGGAAGAACCTGGATTTTTGGGCAAGTTGATGAAT  
GCCTCCTGCCCCATATCAAAGAGAGGTGATAGGAGACAACCTTTGTGAATT  
TGAAATAATGCACCGGGGAAACAGGAAAACGTAATGTAAGTCACGCTTCT  
15 TGGCTTTTTTCTTGCCATTACCCTACTTGGCCAAGTGCAAATGGGATTTCA  
ATATATCATAAGTATGCATCTATTAATAACAATGCAAGAAAGCTGTACAA  
CTGAAGTCTGAGATTTTGTAAAGAAACAGAATCTCTGTAAGCATCACCATC  
CAACAGAACTTCCTGAGTTGATGCTGAATCATCCCAGAAAGAAGGCGCGC  
CAGCTCTGCAGGATCTTCAAGTCTGGGGTGCCACCAGCAAGCGACGGTCC  
20 TCCATGGGCTCTTCACCTTACGGCAGTGTCCAGAGGCACCGCCAGTCCTCT  
GCTCCTATGCTGGTCCTGCTGTCCCTGGCAAAAGGAGCCAGAGCATTCTCT  
CCAGGCCTCCCGAGGAGGCTGCTTCCTTTGTTTTGCAGATGGAGGCTCCCA  
TCCTTTGTTCTGAATCAATGTGCTCCAAAGATAAGCCCCAAGAAAACAGT  
TGTTGCCTTTTGACACTGACAATTAGAATCGTTGGAAAATGGAGAAAACA  
25 GGAAATGGCAAATGGTTTTCAGTGACCAGGAGGAAACCGTGCCTGAAAGTT  
GCTGCTTAGTGACTGGGACACTCGCTTTCTGCTCTCTTATGAAGGACAGCC  
TAGGCCGTGTGGCCTTTTATAAACAAAGCTATGAAGGGGTCGTCAAATTT  
TCTAGGGCTGCAACTGTGGCACTACGTCCTGTTGTGCCAGGTGACACTGA  
CAAGCAGCACTGAGTTCTATGCAAGCCCAGGTGTGCTTCTCTCATGGTGA  
30 CCCCAGAGAACTAAGGCCCAGCTCTTCCTCTGTACACCCCTCCCAGCC

CCCCTGTCTCAGACAAGGGACCACATTCACAGACAGTCTCAGCCAAGATGG  
CAACCTTGGAAGTCCTGGGGATGCCTTTCTAGAAGCTTTAGGCTGACGCC  
AGGGAGCTGTAAAGCCCCCACCTGTCCCTGGGGGTTGTGTGCTGGGCAGG  
AGAGAGGGGAAAGAGCCCCAACTCCACCACTGCCTGCTGGCACAACCTGA  
5 GCCCACGCCAGGCACTGCACCAGCTTCACTCACCAGCTACCACATGCTAA  
TGTCTCCTGTTTACCCAGGTGCAATCACCTGAGTGCTGCTTTCTCACCCT  
GCATGGGAAGAACGATCTCATTACCAATTCAACCACTTAAGCAGGCAAAA  
GGACTCCAACGGGGGAAAGGCAGAGGACAAACGATTCTGGGGACTGAGAC  
AGATGCCCACAAAATGTTCCCTGGATTTTAGCCGGATTCTGGGCTGAAGTTC  
10 CTTGCCCTATGAGCCCTTGGAGGAGAGCATCCTGACTCAGACAAGAATTC  
AAATGACAAGACTTCTGGGGGATGGCAGTGAATGGATCCAAAGCCTTGTT  
TTATAAAGAATGTGGAGGAAGGGAGGAAGGAAGGGAGGGAAGGGGAGA  
CTGAGAGGGAGAGAGAATAAAGAAGAGGAAGAGAAGGAAGAGGAGGAG  
GAGGAAGGGGAGGGGAGAGGAAAAAGGGGAGGGTAGAGGAGGAGGGAG  
15 AAGGGGAAGGGAGGACAGAAGAGGGGAGGGAGCGGGGAGATTATCTAC  
CCCTCCATGCTAGGGAACTCCTGTCTCCTTTTCCAGCAGACACTGCTCCAT  
GAGTGCCCCCACAGAGAGCCAGCCTGCCACACAGCAGAAGGTGCTCAGC  
TATCTGTCCCAAAGGTTGAGCACTAGTGTATACCACAAGGAAAAAACCT  
TCTTTTGTACTGTTTGGAAGCCAGAATTAGAAACAACCTCGTTACCCCTTCT  
20 GACTTTCCTTTGCAATGACAGGAAGATAGTATACTGCATGGGACCACCA  
CACATTCAAGATCTGAGTTGTGGGGACCCCCACCCCCACATGGGTGGAGC  
CCCCTGAGACCCGTGGGCTCTGACTGGCCATGGCCCATAGATAGTGACAA  
CATACACACTGCTATCTGAAGCCTAGTTGGAGGACGGATGGATGCTTTTA  
GGAAAAAATTCCCTTTAGTCGTCCCTCAGAACTACAACGGCTTCCTAAA  
25 ATGAATGGCAGGCAAGTTTTGATTGTTTCCTAAGTTCCCCCTAACTCTCAG  
AGCCTGTGACTCAGCTTCTCCAGAATGCCTGCAGGGAGGCAGGACCACTG  
GGAGTAATGAGCACGAATTGGGCCACTTCTCCCAGTGGACTGTTAACGCC  
GAGATCTGGGGTGGAACCCACTGAACACCTGCCCTTTTTCGTTGCCCAGA  
ATGCAGCCAGAGGGATACGGGCCACAGTAACTCTGGGGCCCCCTGAACCTA  
30 CTTCCCAAGACCCTGACGGGAAGGTATTGCTTACATGACAGTCCAGTCA

GTCCCTCTGTCACTCAGTTAACAACATGGTCATGGGTCTACTATGGGCCA  
GGCTCTGTTCCGGGCATGGGGATAACACCGTGTGTCTCTACTCTTATGGAC  
ACAAGTAAATCAATCAAAGCAGATAATGTTCTAATGACCACCCAGTAGGG  
TGAAGGGATGGAGGGTGGGCAGGTGCTGGCAGAAACCTAAGGTCAAGTC  
5 ATGGGACCCCAATGGGGAACTGGAACTGCCACACCATTTTCTATGTTAG  
GGGTCTTTCCTTGCCCTTCTAGAGACCTACCCATGGTAATGATGCTGCCC  
TCAGGTTTGAAGTGGTCTGAAGCTGTCACTGGGGGCTTCACAAAATGAAT  
GCCACTGAAAGCAAACGGCAGAGATCTGTATATGAAATTCTTTTACCCT  
TTGTTTTCTGTCTTCCCACATGATCTATGACTGCTGCAAACCTCTATTCTGAC  
10 TCCTCCTCAGTCTTGGCCGGTCTGGGAAGAACTTGGTTTAGATGCTGGGA  
ATGATCCCGGGCAAAGGAAACAAATATATTTCCAGCTTGCTTTTCTTCTTC  
CCCTGTGGTGCCTGCATCCTCTGTCTCGCACTGACTCACAGGCTGGACTGA  
CAAAGTGGCTGTGTTGACAGGGAGGATTTAGTGGATGCCAGGCCTGACCC  
TCAAAGGCCCTCAGGTGGGGCCAATTTCCAAGGTTCTTAGAGAAGATTTG  
15 GGGCCACAAATCTGCTCTGCCACTTCACTGCTGGGTGAAAGCTGTTGGCTT  
GAGAAGAGAGAGAATAGGTGAGGGACAATAATTCTCAAGGCAAGCTAGC  
TGATATCCTTTCATTTGTGGCTTCCAAAGACAGGGAAAGGCAAGGCAGAC  
CAGGGTGGAAACAGCGACATCCTGAGGGGACGACGTCGGTTTTGCTAATT  
CTGTTTCCCTGGCAGCTTTGTGCTGGACAAGATTTCTCTGGTTTCAGCTGA  
20 AGAGTGAACAGCTGAGGAGCTCTGTGACTCTGAGAGAGAGAGAAATCAA  
TAGCCCTTGAAAGGAAAGCACTGCTTGTTCTTCCAGGCCAGGGCAGGCAG  
GATAAAGAGACAAGGCTGTACATACCAAAGCCGAATTTCCATTAAAGG  
CCAGAATCCTGGGAGGGCCCTTTCAGCTTAATGACCATCTTCTGATCACTAT  
CACTTAGAAAATGTTTCATGTCTCCAGTTTTCTCTGCAGATAGTGCAGACAT  
25 CCTGTGCACATTGATATTTTATGCACCAGATGCAATTCTCTGCAAAGGTCC  
CCTCTGGCTGGTGTCCATCCGCTTGCTCTCATGACCACTGATGCGACTCTG  
GGGGCAAGTCAAGCCATTCCTTCTAGACTCTAGAATCTAGAGGATGATCC  
CAACTCACAGGCCTCTTGGACAAGCTTGCTTTGGATTCTTCTGCCTGTAC  
TACCCAGACTGCCAGTCCTCCAGCAGGGCAATCCAACCTCCTGCCTCTAG  
30 GGTGTGGGAGTCCTGGGCGGGGTTTGAATCCACAGCAGATGGCTGGCAG

GAGAGGCAGTTCCCGAGCACCCACTAGGTGCCAAGCAGGCAGGTATCAG  
GTGCAGGGGCTTCGGAGGTGCAGAAGCACAGCCCCTGTCCCCCTCAGGTTC  
CCAGTCTGGCCTCAGGGACAGACAGGCAGGTAGGTATGGAAACGGGGTA  
CTGGAAGGCATACAGCTGAGGGAGAGAGCAGCTGCACCCTGGTCAATCC  
5 CCCACTCATTTCCTTGGAGGTGGGGCTGAGGCACCTGGAGCACTCTGCTT  
GCTTGGGTTGTCCCTTTGCCAAAGAATGCCGGGCAGAAAGTAGAGAACAA  
GCAGGCCCAGGAAGCACTAGAAGTCCCTCATGGGTGGACAGAGCTTTACC  
TTCGGAGCTGTACCTCCTGTGTTCTCCCAACAACCCTGTGAGGCAGGCG  
GGCAGGCTGAGCAGGGGACTGTGCCCCGTTGACAGATGAGGAAAGCGAG  
10 GCTCAGGGGGAAGTGACTTACCTGTGGCGTCGCAGCTAGGCAGTAGTGGA  
GCGGGCACCTGCCTCCAGGCCTTCGGATCCCAGCTGCCCCAGGGCGCTGC  
CTCTGAGGTGCTGTACGAGGAGGTGACTCGGGCCAGCTCATGAGCAAAGG  
AGCTGCCGGGCAGGAAGGACTCACTCCCCAGGGCCTGGCAGGACGGGGG  
CTGTGCCCCGAGGCTGACCTGGGGGTGCCTGGCTTCCCCAAGCTTGCAGG  
15 CTTTGTCTACATGAGTCTACAACAACCGATTGAACAATCCATCAGCTGCTT  
GGCCACAAAATGGTTCTGACTGATCTTGTCACTGCCCTGAGTGTCTAGCTG  
GGTCATCTGGGTGTTGTGGTTATACCCACCAACTGCTTTGGTGGAACGAA  
ACCGCGGCCGCGGGATCATTCTGGACTCAGATTGTTCTGAAGAAGCCCA  
GTTCTGGGTGGCATCAAGTGCTTGCTAGATGGGGGGCTTGCCTTGATCCG  
20 GCTACACTTGGAGGTGACTTGTTCTTGGACGGCTACATACAGAAAGAGAG  
AAGTGGGGATGAGTTCCAAAGGCATCCTCGACTTCGGCTGTGGCCACCGG  
AGGGTAGCTCCTGGCCCAACACGGACTTCTCACCTCCCGCCCTTGGCTCTC  
TACTGAGCTCCCCCTGCTCCCCAATTCCTCGCCATTCCCCTCATTCTCTG  
CCCTCAGCCTGGACTGCAGTTCTTCTGGGAAGCTGCCCCAACTCCCTAGGT  
25 CTGTGCTCACCAAGAGCAGATCACACTGGACTGAAATGCCAGCTGATTTG  
TCTCTTCAAGAAAATTGGAAGCTCCTGGAGGTCAGGGTCCATGTCTGCTTT  
TACACTCAGTGCTCTGTATGCAGGCCTGGCACTGCCCACCCTTTGACAGGT  
GGTGCATATTTTGTAGAAGGAAGGAAGGGGCCAGGTGGGGTGGGCTGGG  
CTGGTGGCGGGAGCTAGCTCAGCCTCTTAGATTCTCTACCCGATGGATGT  
30 GACCTGGGACAGCAAGTGAGTGTGGTGAGTGAGTGCAGACGGTGCTTTGT

0980035 : 080304  
TCCCCTCTTGTCTCATAGCCTAGATGGCCTCTGAGCCCAGATCTGGGGCTC  
AGACAACATTTGTTCAACTGAACGGTAATGGGTTTCCTTTCTGAAGGCTG  
AAATCTGGGAGCTGACATTCTGGACTCCCTGAGTTCTGAAGAGCCTGGGG  
ATGGAGAGACACGGAGCAGAAGATGGAAGGTAGAGTCCCAGGTGCCTAA  
5 GATGGGGAATACATCTCCCCTCATTGTCATGAGAGTCCACTCTAGCTGAT  
ATCTACTGTGGCCAATATCTACCGGTACTTTTTTGGGGTGGACACTGAGTC  
ATGCAGCAGTCTTATGGTTTACCCAAGGTCAGGTAGGGGAGACAGTGCAG  
TCAGAGCACAAGCCCAGTGTGTCTGACCCACCCAAGAATCCATGCTCGTA  
TCTACAAAAATGATTTTTTCTCTTGTAATGGTGCCTAGGTTCTTTTATTATC  
10 ATGGCATGTGTATGTTTTTCAACTAGGTTACAATCTGGCCTTATAAGGTTA  
ACCTCCTGGAGGCCACCAGCCTTCCTGAACTTGTCTGTGCTGTCCCTGCA  
ACTGGAGTGTGCCTGATGTGGCACTCCAGCCTGGACAAGTGGGACACAGA  
CTCCGCTGTTATCAGGCCCAAAGATGTCTTCCATAAGACCAGAAGAGCAA  
TGGTGTAGAGGTGTCATGGGCTACAATAAAGATGCTGACCTCCTGTCTGA  
15 GGGCAAGCAGCCTCTTCTGGCCCTCAGACAAATGCTGAGTGTTCCTCAAGA  
CTACCCTCGGCCTGGTCCAATCTCATCCCACTGGTGCCTAAGGGTTGCTGA  
ACTCATGACTTCTTGGCTAGCCTGCAACCTCCACGGAGTGGGAACCTACAT  
CAGGCATTTTGCTAACTGCTGTATCCTAGGCCAATAAATGTTGATCACATT  
TATAGCTGCCATGGTAGGGTGGGGACCCCTGCTATCTATCTGTGGAGGCT  
20 CTGGGAGCCCCTGACACAACTTTCTGAAGCAGAGCCTCCCCAACCCTT  
TTCCATTCCCTATACCTGACAGATGGCCCAGGAACCCATTAGAAATGGAA  
GGTCACTGCAGCAGTATGTGAATGTGCGTGTGGGAGAAGGGCAGGATCA  
GAGCCCTGGGGGTGTGGCAGCCCCCAAGTGATTCTAATCCAGATCCTAGG  
GTTGTTTCCCTGTCCCATTGAAATAGCTGCTTTAAGGGGCCTGACTCAGGG  
25 AAATCAGTCTCTTGAATTAAGTGGTGATTTTGGAGTCATTTAGACCAGGCC  
TTCAATTGGGATCCTGCTCTTAGAGTTGGATGAATTATTTAACTGATTTTC  
AGATCTCCTCTTTCTCAATGCTTTTCAAGACACAGTAACTGCTTACTCTGA  
AATGAATTCTCACCCCACTTCCACATATGCACCCCTTGCCCAACCCTTTGG  
GAACACTGGCCTTAACTGCTTACCTTCAAATGGACTCATCTGTTGGGAGAT  
30 ATATGCATTCTGCCGTTTCAAGGGGTCATTGCCATAAGACCTGATCTCTGTTC

CTCTTGCTAAACAGAAGATGAAAAAGACAAATTAGATTACAGCTACCAAT  
TAATAATTAGCCTTAGGATCGCTGCGTGGGGACCTAGGACTTGGCTTTGG  
TGCAGCAGAAAGCATGAATAAACACACCAGCATACTCGCATGCATGCC  
CCACCCTCTCGAGCAAAATTCCACAGGTATAAATAAAGTAAGATTCTGCA  
5 CCTGGGTAAAAACACAACAGCATAGAATGGGGCAGGAGAGAC  
AGAACTTAATAGCAAGAGCACACAGAAAAAAGTTTTAGGCATTTTGGATG  
TCCATCTGCTCAGGATGGGTCAGCAGTGAGATGCGGTCACCAAAGAACA  
AATGTAACATTAGGCTGCATTAATAGAAGCAGAGTATGTAGAAGGAGGG  
AGGTGACAGTCCTATGCTAACTCTGCCTTGGCCAGACTATACCCACAGGA  
10 GTCTGGGCATGCCAGTCTCAGGGAGACCCAGACAGACTGGCTGCATTCAG  
AGGATGGTAAGTAATGAGAGTGGGGATTGGACTTCAAACACTACCCAGACA  
AAGAATGGCTGAGCAAGCCAAGGATGCTGTGGCTGGGGCAGAGCAGACT  
GTGGGCTATGTAGTGGTGGATACCTAGCCTCTGCAGGGCTGTCATAGGGA  
AAGGACATTGAGAAGAGGACTGAGGCTTGTTCCCTGGTGGTCCTGGCATGA  
15 ACGGCCAGATGATCACATGGTCAGGTGGACACAGTCTCCAACACTGGGAG  
TAGCCAAACACTTACTGCCAACCTCCCGCCCTTCTCCTGACTAGTTGCAGC  
ATAGGCAATTGGGAGGAGCTTCCTGTCTCCATCTGAAAGCTGGCTGGGTG  
GGCAGGGGGAGGAGCGAGCCAAGTTTCAAGGCCGCAGTTTCAGCACTCA  
GTCTGGGATCGGCTCAAGGAGCAAAGGGGAAGAACATAGCCAGGAGGGA  
20 ATAACATGAAGGCCCCCAGACCCAGAAAAGGCATGACTTGCTCTGAGACC  
CTCAGCCGGTTGGTGTGAGGTTGTGACTCGGATCCAGGTCTGACTCCCAGT  
CCAGTGCTTGAAGCCTCACCCACACAGTGAGGGGAGCCCGGCCATCTCT  
GCTCAACTGCTGCCATCTCTCTCCCCTTCTCAACCACCAAGGCAGCTCTGT  
CTGGGAGCACAAGCTCCAAGTCCACTTTCTGGTCTGTGTCCCCCCAAGAT  
25 GCCAGAGGACTTGCCTCTACAACACGGGCTGCCCGTGCAGTGCCTGCTTT  
TCCAGCAAAGGGCTTCTGGGAACCCTTCTCTGCACTCAGTGGGGCTGGTG  
GGAGTGGGGCGGGGTAGCGACCCAGTGCTTGGGACTGTGCCAGCTCTCA  
GGCCTGGCAGCAGTTCCTGGCCTTGGTTCCTGCCAAGGCAGAGAGGACAA  
ACACATGGCACCGGAAGACTACACCAGAAGCGATTCCACCAGACTGGG  
30 GTTTGCTTTTCTATCCCGCCCTTAGCCTGCTTCCTGTCCTGGTCCCTGCCTC

CCCCTCCACTGGAGCTGCCGTGTGGGCAGTGAGGGGCTGTTTCTCAGCTG  
CCCTATGGAGCTGCCCTCTCCCTGCCAAAGCATTGGCAAGGCGGCAAGGG  
GTGGGGGTGGGGATGGGGGGTGGGATCTGCCTTCTCAAGCTCTCATTATA  
CTGAGCACGTCTCACCCATTATTTTATGTCATCTAGCAACACCCCATGTGG  
5 AACTGAGGAGCATGGGGGTACATGACCACTGCCCAAGGCCACACCATC  
CGGATCTGCCTGAGATGGTCAGGGTTGGCAGCCATTTCTGAAGGCAGTCC  
TTTCGCTTTGGCTCTTCTTGTACCAGTCTCAGGACATCAGGGCAGAAGATC  
TACAGTCCCCAGCTTACTGATGTGACAGCAGAGGCTCAGAGAGGTTAAAT  
GACTTGCCCAAGGTGACACGGCTAAGAAGTACAGTATCTCCTAACTGCAG  
10 ACCAGGTGCTTCTGCTGCTTCTGGGGACAGATTCTGCGTGGCTGGCTAG  
GTCTAAACGGTCCTTAACCTCCATCCCCACGGTTGCTGCATTAGTTTCATC  
AAATAACACAGTTGTACAGAGGTAGGGGTTTCAAGGGCAGGGGCAGATGG  
AGGCTGGAGAGTGTGACTAAGGAAACAGCAGGGGAAGTGCGGTAAAGTC  
CGAAGGGAGGGACGGAAAGAGAAAGCCAAGCCCAGGGGCGTGCCAGAC  
15 AAAAGGAAAGGCCACGCCGGGGCAGGGCAGGCTTCAGCGGGTGCTGGGG  
CGTCTTCATCCCGGAAGCACACATTCCAGAGGACCCCGGAGTCTAATGG  
AAAAGCTGGCCAGCCTATCACTATGGAAACTGCCAAGGCCACACAGCGCT  
ACGCGTATTTAAATGTGCTGGAGTGTTGAGATACTGTAGTGGTGGGATGC  
TTAAGTGCTGGGGTGCTGGGTGTTGGGATGCCTAGGTGCTGGGGTGCCGA  
20 GATGCTGGAGTACTAGTGTGCTGGGATGCTGAAGTGCTGGGGTCCTGAGA  
TGCTGCAGTGCTAGGGTGCTGAGATTCTGGGCTGCTGGAGTGTTGGGGTG  
CTGGGATGCTGGAGTGCTGAGATGCTTGGACAATGGGGTGCTGGAATACT  
ATGGTGCTGGGGTGCTGGGGTATTGAGATGCTAGGGTACTGGGATGCTGA  
AGTGCTGAGATCCTGGAGTGCTGGGCTGCTGGGCCACAGGCTCTTGAATC  
25 CATTCGTCTGCCCAGGGGAAGAAACCAGAAGATAAAGAGCTAATGAAGG  
AGCTTTGGTTGAGAGGGAGGAAGTAATGGAAGGAGCAACATCTTGTGGA  
GGAGCAGGAGAGAATGGACCTCAGGTTGGGAGAGAGGGCCAGGCTACAG  
GCCAGAGAGGCAGAAGGATTCCAGCAGAGTGTGGGCTCCAGGAGCCAAG  
GGGAAACAGGTTTCTGGGAGGAGAGAGTCCAGTACTGCTGAAGTGCCAA  
30 GTCCGCTGAGGACCAGGAAGCTTCATTTGGCTTTATGACCAGGAGGAATT

TGGA ACTGTGACTAGAGTACTTAGGGGGAAGGAGGCAAGACTGGAGCCA  
GATTGCTCTGGGTTGAGGGGTGAGTGGGAGGTGAAGCAGGGCACTGTCAC  
TCCTTTGAAGGGTGGCAGAGAGCTGGAATTGGTGCTGGATGGGCTGTGGG  
GTGACAGGGTCATGTGGAAAGCCCCTGGGGGGCACCTGGAAAAGGAGAA  
5 GCTGACAGTACAGTGAGAGGACAGCTAAGGGAAAGCGGAATGGCAGAAC  
ACGCACTGCCAGGAGGAATGAGGATAGGGTCAGGAGTGCCAGGGGCAGT  
GAGGCCAGCCTGGGGTCAGGTGGCAGGACGTGTCCAGGAAGCTGGTCTG  
CACTGCAGCCCACACTGGCTCAGCCTTGAGGTTCCCTGTGTGGTTGGGGT  
AGGAAGTTGAACCCTCTGGGAATGGAAGATGGAACCAGCTCTGCGAGCC  
10 AAGCTCAGCTTTTATCTATGGGTCTCTGAGGGCTGGCAGAGCTGAGTGGG  
GACA ACTGTGATCCGTGAGGCTCTCAGGTTGAGGTGGCCCCCTCCGGGAGG  
GCTTCATTTTCCCAGCGGGTAGGTTCTAAGCAGCAGTGGCTGGGCAGGTG  
GGTCCAACACAGAGCCAGAGAAGGGTGAATGGGCCTCCTGGCACCCAC  
CCCTGCTGCCCCCTGAGCTCAGTGATGGAGGGGGACAGCACAGCTGAGCCC  
15 AAGTGCTTTGGTGTGGCCCTGAGGGAAAGCTGCAGCCTGCCTGGGGCCTG  
GCATGGATGGGACACTTGAGGCAGAGGGACAATAGTGGGCGCTGCAGTG  
AGGCTGGCTCTTGAGAGAGGTTTCTGAGGAGTGCTGCCTGAGACGGGCAG  
GGAGAACAGAGACAAAGTTGGTGACAGGGAATGAAAGCTGACTGAAGGA  
CTTTACCCAGACCTATGAGGATATCTCTCTCAGCAGGAAGCAGGAGGGGA  
20 CTGTGTGAGGACTGGCCAAGAGCTGGAGTGTTGGGAAAATGACTCTTTCT  
CCGACCCCTCTGTCCTAGCTCTGGCCCCTGGACTGCGGAGGTCTGCTTCCA  
CCCCATTGGTCGATCGTTGTCCCTTGTCACAGCCATTGAGAATTTTGGCA  
GGGAGCATGTTCTTAGAGCATTTTTAGGCTCTGCGGGACATAACAGCTCT  
GCCTCAGAGCACATGCCTTTCTCAGCTCCTGAAAGCCACTGATCAAATTG  
25 GAACATTTTGTACCTTAGGGATGAGGATATCAACTCTCCCAGCCACTTAG  
AGGGATAAATGTGATGATGCATTCAATTGTGACTACATCTGATCCCAACT  
GTTGCTTCAGCTGCTCTCCTATAGCACATGGCGGGAGGCGTGATCCCAAG  
TAGCTACCTCCCCACTTTTGGGGAGATGTGGTTCCATCCATGAAACCTGGG  
TACCCGCCTACCAGGTCCTGGCCTATCAGGTGGCAGGGTCTGGTCAAAGA  
30 AGGGCATGTGTGGTCTTCAGCAAGGGAGACAGGACGGTGGTGCAGAGCG



TCTAGACCCTCAGGGCAAGTCTCCCCCACACCTGCTCCCGGGGCAGTTGT  
CTTTGTGACCTCCCATCCCCCTCTGTTTCATCCTCTATAAAATGAGGGGCT  
GAGCCCCAAAATAACAGGCTTCTTTGCCATGATGCAAACTGCTGAATCT  
TTCTTTCTGACACACAAGGCATCGAGCAGCCTCTGAAAGAACCAAAGCCA  
5 CTAGCAGGCTTCCTGACTTGGGTTTGTAGGTACTGAATACTCCCTTGAAAA  
ATAAAAACATAGAGGCACTTTTCTCCTGGCTGTTTATTACAGAACGAAGA  
AAAAACACACTGGCTTGAAACAGACGCCAGATTTCAAATGTAGAGGTGA  
AATACGAGGTGGCAATTAATAATGTGATTACAGAAAGTCTGGACACTGAGA  
AAAGTTTACAGGACAGTGGGTGTGGGTTTTCTATAACAGACACTTAAATA  
10 TACATGACGATAATTGCAGATAGAAACCATCAAAGACAAACCCCAAATC  
AACTAATAATGTTTACAGATGTTCCCCCCCCAAACCACAGAGCCTTACATC  
AAAACAAATACTGAAAGGCTTTAAACCAGGAACAGCTCGCCTTAACCCCA  
CGAGGGTGCACACAAGCTGGGCTTTTTCTCTCGGTCTGAATGGTAAAGGG  
AGGAGGATACTCTAGCTCCTCCAGGTGGATTGCTGAGACAGGGCTCGGCT  
15 CACACACTGTCTCTGCGCCTCTCCCAAATCTGGAGAACTCTCCCAGCCTCC  
TGGTAAAGTGTCTCTGTGGGGCACTTAACGATAAAACAGCTTCTGCTGTA  
AAGCTCATTAGGAAAGAGCTAGCGGAGACTGAAAGGTTCGCAAAAGAGA  
TTAAGAATCACACAAGGCAATAGGATTTTTAGTGAACATAGAAATAAATG  
GCCAAGTGGTTTTCTATTTGGCATTGTCAACTTGCACAACAACCTCTTGGT  
20 CATATCCACATTGCTCATTGCATTAAAACCATAAGCGACTCAGCCACCTA  
GCTTAACAAGGTATCACTGGAGCAAACAACACGGTCTGCATATTTGTAAC  
ATTGTATAATAAACACAAAACAATGCATAGTAAACACAACCTCTACTGAAA  
CAAAAGCCGTCGCTTTATTTACAAAGTCACAAAATGAAGTATAAATACTT  
CTGTCATTAATGTTTAGGAAAACCATTTACAAAATTTTCAAATATGTACAC  
25 GTAGCTTGAAAAATCACCAGCTTTCCATTTTGTACAGGTAGAGAGAGGG  
ATAAGCATGGGCTGACAACCACTCAAATTGTAACGGGAGACAACCTGC  
GGGTATGGATCGACACCACTTCCTAGAGTGATGTCACCATGGGGGTTTCT  
ATGGGCATCCTGCTCAGATTTAAAGTGCCCCAGCATCCTGGGTGACTTGC  
CCAGAATTCTGGGCTGTGGCATTTTGAGCAGCAGCATGCTGTTCCAAAAT  
30 GTCGTCGATCAGCCTCAAGTTGCACACCCAGTCTTCATCTGGGCTCACACA

GGAGCCTTTCAAGAGAGCTTCAATGAAATCTACCTCATTGCAGTCAGGTG  
ACGAAATCAGATCATTTAGTGGGGGTTGGGGCTGGCGCAAAAAGTCGGCA  
GGTGGCAGCTCAGGGGGAATATCCGTTCTGTCTGAACGGACCTGGGAACTG  
GCTGGCAGCAACGGCAGAAGCAGCAGCAGCGGTGGCAGCAGCAGCCACA  
5 TAGCTTGGTGGCTCGATGCCCTGTATGGGGCTCAGGGGACTAAAGCTGGC  
CATACCCTGCTGGAGGAACTTGGTGGTGTGTTGCTACAGGCACCGGGCCCT  
GTACCGGGCTCTGCCTGAGGCTCTGGCTGCCCAGCAGGCTGAAGCTGGGG  
TTGTTGGCCAGGGGCACTTGTGTTCCCATCGCAGCGGGCACTTGTGCCTCC  
CAATCAGATGGCCTCTGAAGGCAGGCCTGGCCAGAAGGTGAGTGCTGCTG  
10 AACGCTATTATCCACTTGGCTGAGGGGTGTTTTCCCCGAAACTGCTGTGGT  
CACAGCTGCTGCCGCTGTGACCCATGCAGCATTGTTGAACGCAGTGGGCA  
TTCTTGGCACACTAGGCCGTCTGAGCTGGTGGGGACTCAAGGACTGGGTG  
CCCAGGGAGCTGGGACAGAACCCAGGCAGGGGGCACTTCTGGTGGGGTGG  
CCTTGGGGCTCTGCATATGCTGGCAGACAGAGTCAAGTCTGCCCAGGGGA  
15 GTCTGGCCTGAGTGTGAGAGGATGGGACACTGGGGGCTGGAGGTGAAAA  
TTCCTTGCCGCTTCCCCAGAGTTGGTGTGATCACTCCCATGCCCGGCGCGC  
GCGTCGACACGACAGGGACATACTGGGAATGCGCCCTTGCCGTGGAGGC  
GGGGACCCGGCAGCGCTACGTATCCAGCATCAACCTGTATCCAGCATCAA  
CCCGCCAAGTTCATAACTTGGTAGGGGTGAGGTTAGGGATCCTTAGGAG  
20 CCCAGGCAGCCAGACTTTCTGGGGAGCCCATTCCTTTGTGTTGCCAAA  
GTACCCCCAGCAGGTTGTGGGAATGTTGCCTGTGAAGAGAGTCTGTTGGG  
GTGAGATCTTGTGTGTGTGCACAGGGTGACAGTTGTGTCCCATTTCCCGGG  
AAGCTGTGATGGCAGCAGAACCTAGAGGAGCCTGAGAGAGTGTGGGAGA  
GTGGGCCTCTGGAAGAGTAGAGGCTGCGGAGCCAGGTGCAGGGCTGTCT  
25 GTCACCCAAAGGAAGAGGGGACTGATGACTCACTGAGCGTGTGTGTCCCCT  
GGTGGCAGCAGGCCCCATAGTGAACATACCATACTTTTCTGTCCTGAGC  
GATGCTCCCAGCAGTCCTGGGAGATGGAACGGTCCTTATTCGGCTCACAG  
GAAGGACCGCCTTAACCTGGACAGACACAGCAAGGTGCTAAAGATGCCTTC  
CATCAGAGGCCAGGTTGGAAGCTCTAAAGAGACTTCTCTTGCTGTTCTCTC  
30 ACCCACCCCCAGGTTGTGTGTGTCCCGCTGTGGATTCTCATGTCCTTTCTG

TGCCTGGTGGTCCCTCTACTACATTGTGTGGTCCGTCTTGTTCTTGCGCTCTA  
TGGATGTGATTGCGGACAGCGCAGGACACACATAACCATGGCCCTGAGCT  
GGATGACCATCGTCGTGCCCCTTCTTACATTTGAGGTAAGCGTTCCACGGG  
AAGCCTCTTCAGCCCCTGAAGCTTGCGCTTCCCCTGACAGGATTCTGCACC  
5 CCTAGAAAGGCAGCCTCTGTCCCTCGAGCTCACAGTGAGCCCACTCCAGG  
AGAGGGGAGAGAACACAGCCATCTCCGAGAGGGAGCTTCGGTGAAAGGA  
GAGCATCCTTCCTTTCTCTTGGGGGCAGCACGTGGGGCTGGCAGGGAGAA  
GAGTGCACCTTTTTAGCCATGGTGCCTCTGTATGGCTCCAGTTTCCACTCT  
GGGGAAAGCAGAGTGGGATGTCAGATTTGTGTATTGGAGTCACGTGGAGA  
10 ATTCTAGAATGGGAGCTGTTGACTCCTTAGAACAACACCCGGAGGAGTT  
TGCCATAAAACTGCTGGCACTGGGAACCTTTTCAAGTGGATAGGCTATTGC  
CGAGCTCTGAAGAGGGACATAAAAGCTCATTTTCGAGCTTTCCCCAGGGAT  
AGGTGGTTTCCTGCCTTTTTCTGGCGGTGCTGATGTTCCCTCTTGTGGGAG  
CTCACGCGGGGGTGGGGTGGTGGGGAGGAAGTGCCTAATGAAGTCTGGCT  
15 TCCGCCTCTGCCCATTTCGGTGCTGGCATCAACCGGGACTATGTCTCTTT  
CTTTAGATTCTGCTGGTTCACAACTGGATGGCCACAACGCCTTCTCCTGC  
ATCCCGATCTTTGTCCCCCTTTGGCTCTCGTTGATCACGCTGATGGCAACC  
ACATTTGGACAGAAGGGAGGAAACCACTGTATGTACTCAGCATTTAGAA  
GTCCTTGGTGTGTGTCTGGGGGGGGACCAGGGGGTGGGGGGTGGCGGATA  
20 GAAGTCTAGGAAGGGATGAGTCCCCGAGGGCCCCAATTTAGAAGCTTGTG  
TGGGAAAGTGAGGGCTGAGGAAATTCTGGGACCTTCTAAGGGAAGGGCA  
TGCCGTAACCTCTGGTGTCTGCTGGCCTGCACCGGGACTTTTCTCGCAGTG  
CACGCTGCCATTTGAGGTAGAACCAGACACGGCAGGCAACCTCTCAGAGA  
TCCCGTTCCCTCCTCTGCAAAATGGGGATCAAGACAGATTCTTCCCAGGCC  
25 CGGGAGGGTTTGATGGAAAATCCACATCTCCACCCAAACCTGGGATTCA  
TCCTAGGTCCCTGTTGGCCGCTCTGCCTCCCCCATATCCTTGCTGCCATCA  
CCCGAGTCTTGCCTGTCTTGCTTAACACTCTATTCCCCTCCACCTGCT  
TGCTGAGGCAGACACTTCCAAAACGATCTCTGCAGAGGGTGCCTTCCTGG  
CAAGGCTGTGGGCTCCATGGCACGGAAGCCCAGAGCATTGCCCTTCGGAA  
30 AGCCAGTGGGTTTGGGGGCAGGGCCTCACTGCAGCCCAGCAGCCCGGGCT

GTGCTTGCTGTTTGTGCCTCTGCCCCCTACCCCGCACCCGGGAGCAGGGA  
GGGCTTGCACCGAGCTGACACTCCAGTAGCCTACAGAGAGGAGTAGTGG  
GACTGGGAAAGTGGCTTTAAGGTGGCTCCATGAGTTCAGGCCCCCTCCTG  
GCCAACCCGTGCATGACTACCGCCCTCACGGATTCCAGAGGGTGACAGAA  
5 ATCTTGTTCTTGGGTGGCACTGTCATCCATGAGTTTATCCTGGCTGGAGAA  
GATTAGCGGAAGACACCGTAGTCTGCGCACACAGATATTTTGAGACTCA  
CTGGAGCAGTAGTTCTCAAATTTGGGCATCCAGCAGAATCCCAAAGGGC  
CAGGAAAAGGGGACCGCTGGAGCCCACCCTAGCCCGACTCAGTTTCTGGA  
GGTCTGGGCTGGGGCCCGAGAATGGCATCCCTAACTAGGCCCCCGTGGACG  
10 CTGTCCCTGCCGGTCCGGGAACCCCACTCCAAGCACACAGAGCTAGCAT  
TTGCACTTCTTCCCCATTTTGGGTACTCAAGCCCTGTTTCAGGCTTTGTGACT  
CAGGAGTCTGGATAAAGTATGTTATGACATTGTAGGAGTGAACTTCTTG  
TTACGGAAAGAAAGTTAACAGGAAGGTCAGTTGAGCCTCGTGTGTGAAAT  
AAAAAATTCTTATTTTTCAGGGTGGTTTGGTATCCGCAAAGATTTCTGTCA  
15 GTTCTGCTTGAAATCTTCCCATTCTACGAGAATATGGAAACATTTCCCTA  
TGATCTCCATCACGAAGATAATGAAGAAACCGAAGAGACCCCAAGTTCCGG  
AGCCCCCTAAAATCGCACCCATGTTTCGAAAGAAGGCCAGGGTGGTCATT  
ACCCAGAGCCCTGGGAAGTATGTGCTCCACCTCCCAAATTAATATCGA  
AATGCCAGATTAGATGCCACTTCCGGGGACAGAGCTTAAGTGGACTGGGA  
20 CGCACTCTCTCCGCCTTCCTCTGCCCCCTCGTTACCCCGCAGACCAGAAC  
CAGTACTGGAGCTGGGTCTCCAGGTACGTCCATCTCATGCCTTGTTTGCAT  
CCAGCGCCTATCAGCCACTCACACGACGGGACGCGGAAGTGGCAGGTG  
ACGGGGGTGTGTGCCAGCAGATGCGGATGCCAGGAAGAGTGTGAGAACA  
GGGGTGGGATTACCGTCTGTCTGGGAGGGGCTCCAGGTACCCCTCTTCCC  
25 CGTCAGACCCACTGGGAGATGGCTGCTTGCCAGGCCCCCAGAAGGAACAT  
CTGTCTATACGGTGCTGAAATCCCAATCAAAAGTATTGTTTAGAAATGTAT  
TTCTCCACAGGGCTGACCTCCTGCAGCTCGCTGAGCACTCCCAGGTCCTCA  
GCACTCCCAGGTCGTGGCTGGGGCAGTCAGTAGGAACTGTAACATATGTCT  
CTGATGCACCACGTGTTTAGACACAGCACAGTCCTTTTTTCTGTTCCCTACT  
30 GTGGAAGTAGTTTCTCTTTGGGCATGCTGACAGCAGTTTTTTCATAGCCTCA

CGGATGAGCCCTTTCTACGGGAGTGACTCCATGCTTGTATACAGAGTATTT  
ATACAAATGTTTTAGCATCTTCATATGCGGTGTTAACCCCTAGTTCTGTAC  
AGCATATTCTGTTCAAGTATTTTTTTACAAGCTTGTGCTGTAGGCACATGC  
CTTCTGCTGCAGAAGTGGACGCCCCGTGGCACACTCCCCCCCCCCCCCGT  
5 GGGGTGCCACGCCTTCATGGGACATTGCCACTTCTGCCCTGGAACCTCGTG  
CAGGTACGTAGTAGCTGCTACTGCCACAACGGCAACACCAAGCAAGAGA  
TGGTCCATGCTTTTCTGACGTTCTCAGAATAGTGGCTAGCTTCAAACCTGA  
CAAGCGCTGCTTGAAGCCGGAACACTAGAGAATGTTGCTGAGAGCAGAA  
ACGGCCACGCGGGTCACGACTATGCGTGGGAAAGTCTCAAGCTTCCCTCC  
10 TGCCAGCAACAAGAAGGCTTTGGAGTAGGCATGATGTTTTACGTGTGCG  
TGCCGTTTCTCCAAGCACTGCAGGTTCCACCGTGTGTCAGAGGCTGCAAG  
TTTAACATCCTCCTGCCTGAAAACAAATAGGTCCTTTGCTGAAAAGAGGG  
TAAAAAAAGAGCTTTGATCTTCTCAGCCAGGAGAAGAGGGTGTTTTC  
ACGCGGGCAACTGCTCGCCGGCCTACATGGGGTTAATTCAAGTCTGCTGC  
15 GAGCACGACTCCGCCCTTGGCACTGGCCTCCAGCAAGCCCTGTTCTCTTTG  
GGGTACAGGGGAACGGGATGGTTTAGACTTTCCTGCTCAGTGTGTAAAAA  
ATGTAGCTAAAGCCACTATTTTTGCTCTCCTTAAGCTGTTCAATAAACCGG  
TTCCTCATTTTACACGTGCATGATGTGTATCTTCTTTGCTGGATGGGCCAG  
GAAACTGGAGTGGTCCTCTCAGCCAGCCTCAGAGGAAAGAAATCTCTAGC  
20 TGGCACAGGCAGCCAGTGAGTGAGGCTGGCGGCTGCAGGGGCACAGCCT  
TTAGAATGAGTCCTTCAGTGCACAGGTCCCAGGGTATACGGGGTAGTGGG  
AGGAAGGAGGGGACGCCTCGCAGATGCCACTGTTGGCTGGGCTACACCTT  
GCCACACTTGTTACTGCTTAGGAGGCTTTCTGGAGTGTTTCCTTGGGGTGCTA  
CGACAATCTGCAGCAGACACTGTCCTTTCACCGCTCCTGGTCCTCGTTTGC  
25 TCCCCAGTGATGTCAACAGCTGAGGACTGCTCACGCTGCAACAAAAGGCT  
CTGCAGTCGCTGTCTAGCTTGCCCTAGTCGTCTCTAGAGTTCTGCCTGAAC  
TGAAACTCAAGTGGGGTTCAGCTCATGACTTGTGGCAATTGACCAGGAAA  
TTCACCAGTTGCTGTGGCTGGAAGGATTTTCAGTCCTGTGGGTGTGAACCA  
GAGGCCACAGGTGGATTCTGCCTTAGGCTCATGAGATTTCCGACTTGCTGT  
30 TGAAGAAAATGCCTTGTGAAGTGACAACAGTAGCTCTGACCCAACTGCCG

GTGCCTCGCTAGTTCCTATACGTCCCCTGGATCCTCACAGCCCCGGGAA  
GCAGGTGCTACTACTCTTATCCCCGGGAGGAGACAGAGGCCGAGAGAGG  
TTAAGTGACGTGCCCCAAGTCACACAGCTCGGCAGCGGCCGGGTTGAGCAT  
CAGCAGTCTGTTTGCAGACCCCTCACTGTCACCCCTGAGCCAGTGCGCCT  
5 TGGGCCCTGCGGTCAGGATGTCTCAAGCGTGGAGGCATCACCGGTTTCGTG  
GCAGTCTCTGGAAGGTCAGTCTGAGCTCTGTGCCCAGAATCGAGTCGGGGGA  
GTCTGTGCAGAGGTGGCCCTGTGTGTGGGGACAGTGTGTGACACAGACAC  
TGCTTTGGATGGACACCTCTCCCGTGACCTCCTAGCATCCAATCCCAAAGG  
AACAACCTGTTGCAGAGATGGACCGCTGGACACAAACCCACGTGCGTTTCT  
10 CTGGAGACACTGGCCAAGGAAAACAAAACATGCTCGAAGGCCAACAGCT  
GCATGCCCCACCGCGATGTGACCGCAGACACCCGGGGTGTAGAAGGGTCT  
CTGCCTGGTGGGGGGACACGTGCAGGCCGAGGAGAGGCAGGAAGGAGGC  
TGCCTCCGACTCCCCACTGGACTGCATGGCGACGGCGTGTGGTGGGGCAG  
TCAGCTAAGCCATTTGCCTAAGGGGCTGTCGGGCATCTGCGTGCTGGGGA  
15 CCGACAGTGTGGGTGTGTTAGGAGGATCTGTATGGAGCACATTGCTGCCT  
CTGGCTAGGACAGGGTGGAAAGGGTGGCGTGGCTACAGCCTGACCCATG  
GGCACCGTCCTACCCTTTGTCTGTGCTTCCGAGTGTGAGTCATGTGCTGG  
GGTCTGTGGGGCCATGACTCAGACGGTGAGCTCTGACCTTCCCTGAGCCAG  
GGCTTTGCTGTAGTTGTGCCTGGCTCAGGAGCTCTAGGACAAGGGGACCG  
20 CTCCAGGTCTGCATCTACGGTGTGGCAGGGCCCCCTCGGCACTCTTGTGCAC  
TAGTGTCATCTTTCCCATTTGAAATGACTGTGAGGACCAGAATGTGCACAT  
GCAGATGGGCAGCTACTTGTCTGCCTTGGCCCTTTATTACACAACTTGCTG  
GGGGTGGAGATGCCACCCCCCGGCAGTCAGAGCCCCCTTTATGATGTCATG  
GGGCTGGTTACATGACTGCCAAGGGGTGCTGCTGGCCACACTGCACTAGC  
25 AAGTTTGCCAGATGGAGGACAAGCGATCATTGAGTATGGCTCGCTGTGAA  
GAAAGAAATTCGAGAGGACAGGATCATGGCTTGGAAAGGGTGCCTTTCCC  
TCCCCAGTTGCAGTCAGAGACCTACCTTCACCCAGCAGATCCTTCCCCTGC  
CTGGGACGACCCGGGGTCCACTGGGAGCCCTAACTTGAGGCTGCTGACAG  
AAGAAATCGCTTTCCAACCTCTGGCCGAGGAAGCTTCGTTTCAGAAGGCCG  
30 CACCCTGACGGTGACGTCCCGCCCCAGGGAGAAGATAATCTCCTCTCCCT

CCCCCTTCCACAGAACTGTGGAGACTGGTCAGCAGCAACCAGTTTTTCGT  
CCATCTGGTGGGATGACAGTGGGGCTTGTAGAGTGATCAATCAAAAACCTC  
TTTGAAAAGGAGATTCTCAAAAGGGACGTCGCACACAAAGTGTTTGCCAC  
AACTTCGATAAAGAGCTTCTTCCGCCAGCTAAACTTGTATGGCTTCCGAA  
5 AACGGCGTCAATGCACTTTCAGGACCTTCACCCGCATTTTCTCCGCAAAA  
AGGCTGGTCTCCATCTTGAATAAGGTAATGAACGACAAGCCTCTGGAGGG  
GTTAAGTCGGTGGGCTCTGGGGCCTGGTCGGGTGGAAGTCCCAGGACTGC  
CTCCTGGGAAGTGGGCGACCTCAGGCAGGGTGTGGGGCCATCGCTGTGGG  
CCTGTGTCCCCCTCTGGGTGGAGGTGACATGAACTAAGAGTGAATGTGGG  
10 GAGAGGGCTGAGGATGGTGCGGGCCCCTCTCGAGTGTGTAAAATATCACA  
GGTGCCAAGTAGCCGTATCTGCGTGTCTCGTCCCTCCCGGGGGCCAGCCATGT  
CATCTGGTGGTTGCTGTGTCCCCCTGACTCCACAGCACATTACCCTGTGAG  
GTGAGCAGGCCAGGGGAGTCTGGTATTTGTACCACTGTCACCCTAGCTGG  
TGTCTGGAGAGGTGCTCAAGTGGAAGCACTGAAGGGCGCCTGGCGCAGG  
15 AGGTGCAGATGCTCCTGCTGCCCTTGGTAGGTGGGCCCCTGGTGTGGAAG  
AGCCAGTACCCAGGGCCTCCAACCCAGCCGGGGTGCATTCTGTTGCCAGC  
TGACACTGCATGGGGGAGGCCCAGAATCTTCTTCCCTCCTGGTCTGCAACT  
TCAAAGACCCTTTCCGCCGGCCATGGACACCCTAATCTGCCATTTTGAGGC  
TTTTTCCAAGACGGAAAGGCCCGCCACAACCTTGGTAAACCTTGACGATGT  
20 GAACGCGAGTCCCCAGCTTCCTTTGGGGACTGGGACCTTTTCCAGAAAGG  
CCTCCTGGGCCAGTAGAGTTCTCTTGCACAGGGGCGTAGATGGTTGGTAG  
TTGTAGTCCATCCTTGTGACTTGCAGTTTCCTTTTGTTTATTTAAACTTTGA  
CTTATAGTTAGAGTTCTACTGCCATCCTTACTTTCAAAGAGACTCCCCTCA  
CCTCCTCGTGAGGATGAAGAGAAGAGTGGGTGTCAAGTCTGCACCAAGAC  
25 ATCAGGAGGAGGACAAGCCAGAAGCTGCTGGATCCTGTCTGGCACCAGC  
AGACACTGAGCAACAAGATCACACGTCTCCGAATGAGAATGACCAGGTC  
ACACCGCAACACCGGGAACCGGCCGGTCCCAACACCCAAATCAGGAGTG  
GCTCTGCTCCACCAGCAACTCCTGTGATGGTGCCTGATTCCGCCGTGGCGA  
GTGACAACAGTCCAGTGACCCAGCCGGCCGGCGAGTGGTCAGAGGGCAG  
30 CCAGGCTCACGTCACTCCGGTGGCCGCTGTCCCTGGGCCTGCAGCGCTGC

CCTTCCTCTATGTCCCTGGATCTCCCACTCAGATGAATTCTTACGGGCCTG  
TGGTGGCCCTTCCCACAGCGTCCCGTAGTACCCTTGCCATGGACACCACA  
GGACTTCCTGCACCTGGCATGCTGCCCTTTTGCCATCTCTGGGTACCGGTG  
ACCCTAGTGGCTGCTGGGGCTGCACAGCCTGCTGCCTCCATGGTCATGTTC  
5 CCCCATCTCCCAGCTCTGCACCACCATTGCCCCACAGCCACCGCACGTC  
ACAGTACATGCCAGCTAGCGATGGGCCCCAGGCGTACCCAGACTACGCAG  
ACCAGAGCACATAGAGGGCAGCATTTGGGCAGAATATGTGCTGGTCAATA  
AATGTGTGAGAAAATGAGTAATTTTCTGACTGCACAAAAAAGTCTTCATG  
GTCTCCATCCTTTTTCTTTCTTTGCAGTCCAGTACCCCCCTCCGACATCTTT  
10 GGCTTGCATGATAGAGACTTCAGCCTAACACGCCTCCCTGGAAAAGTGCC  
CAGGAGATACTCGAGCAGGTGCTGGGTTTTAGGAAGCCCCTCAGACATCC  
CGCCTCTACTCATTAATAAATTACCTGGAGCTGGCCGGGCGCAGTGGCTCA  
TGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGCGGGTGGATCACGAGCT  
CGGGAGATCGAGACTGTCCTGGCTAACACGGTGAAACCCCGTCTGTACTA  
15 AAAATACAAAAAATTAGCCGGGCGTGGTGGCGGGCACCTGTAGTCCCAG  
CTACTCGGGAGGCTGAGGCAGGAGAATGGCATGAACCCGGGAGGCGGAC  
GTGCAGCAAGCCGAGATCGCGCCACTGCACTCCAGCCTGGGCGACAGAG  
CAGGACTCCGTCTAAAAAATAAAAAAAAAAAAAAAAAAATTACCTGGAGTT  
GCTCGCTGAGTGCTAATTGTGCTGCTAGCATTGCCGGCCTAGGGTTCACA  
20 ATGACTCTGTGTTACTGGCCATTCCTTGTCATGGCGGTGCCTTTATATAAC  
AGGATCTTCACTTTACATACAGATGAGATCACGTCTGGCTTTGTGATTGGG  
TTAAAAAGTGCCCTTGATAGTTGTGGAGGTGACACATACTACCGTCGACT  
CGAATAGATCTGCTAGGCGCCAAGCTTGTCAGCCTTACCAGTAAAAAAGA  
AAACCTATTAAAAAAACACCACTCGACACGGCACCAGCTCAATCAGTCAC  
25 AGTGTAATAAAGGGCCAAGTGCAGAGCGAGTATATATAGGACTAAAAAA  
TGACGTAACGGTTAAAGTCCACAAAAAACACCCAGAAAACCGCACGCGA  
ACCTACGCCCAGAAACGAAAGCCAAAAAACCCACAACCTTCCTCAAATCGT  
CACTTCCGTTTTCCACGTTACGTAACCTTCCCATTTTAAGAAACTACAAT  
TCCCAACACATACAAGTTACTCCGCCCTAAAACCTACGTCACCCGCCCCG



TTCCCACGCCCCGCGCCACGTCACAACTCCACCCCCTCATTATCATATTG  
GCTTCAATCCAAAATAAGGTATATTATTGATGATGTTT

SEQ. ID. NO. 17

5 *Helper dependent vector C4AFO*

The sequence is shown without transgenes.

AAACATCATCAATAATATACCTTATTTTGGATTGAAGCCAATATGATAATG  
AGGGGGTGGAGTTTGTGACGTGGCGCGGGGCGTGGGAACGGGGCGGGTG  
10 ACGTAGTAGTGTGGCGGAAGTGTGATGTTGCAAGTGTGGCGGAACACATG  
TAAGCGACGGATGTGGCAAAAGTGACGTTTTTGGTGTGCGCCGGTGTACA  
CAGGAAGTGACAATTTTCGCGCGGTTTTAGGCGGATGTTGTAGTAAATTT  
GGGCGTAACCGAGTAAGATTTGGCCATTTTCGCGGGGAAAACTGAATAAGA  
GGAAGTGAAATCTGAATAATTTTGTGTTACTCATAGCGCGTAATATTTGTC  
15 TAGGGCCGCGGGGACTTTGACCGTTTACGTGGAGACTCGCCCAGGTGTTT  
TTCTCAGGTGTTTTCCGCGTTCCGGGTCAAAGTTGGCGTTTTGATTTCGGCC  
GCTTGGGTCATAGACTTCTTTGAGAACCAGTTATAAGCTATGGTTTCTCTC  
CACAGAAAAAGCACTTATGGTGTCTCCCCCTTTCCAGCCCACCAACATTTT  
ACATCTAATTTGGGGGGGTTTTCTGGACCACTTAATACCCATCCATGGATC  
20 TCATGTGAAGACTCCCCTGGCTTGAGAAATCACTGTCTTGTTGAAAATGG  
GAACAAAGCTAAGTCAGATAGCTGGTTCATCAGCAATGACTTTGACCAAG  
CCTGATCCCACCCTACCCACCCACCCACAGTGACCACCCCCACAATGG  
AGCACACAACCTCTAAACTGGTTTGTAGGTATGTGTGTGTGAACACGCTGA  
GGAATCTGCAAAACCAAATGGTGAGTGCAAAACCAAACAGTCACGAGTA  
25 AATCTCACAACAACCACGTCCTGAGCTGCAGCCCTTGTTGAACTATACCC  
CACTAGGGCCCCAAGATTTTAGGACTTGTGTGTGGGTGGGACCTCCCCTTT  
CTATCATGCTTTAGAAGACAGGGATTTACCAGAATTGAACATATTGAAC  
ATATGACCCATTTTTTTTCAGCCAAAGGCAATTAAAATAACTTCATACTTGA  
TATCCATGTCAGCAAAAGCTGCAAAACGCAAATGGGTGGCTGCTAAGAGC  
30 CCTGGTACCCTGACGAGCACACCAAGTGCTTAGCAACAGTGGTGTCCAAA  
GGACCAGCTGGAAGCCTGCCTTGATGAGAAGTTGCTCTTCTTTCTACATGA

AGGAACACCTCTACTCTCCTGCTTTTAATACCTGAGCTGTGAGTGATCATC  
TATGTCCATTAGCAAACATCCCAGTGGAGAAGGAAACACTCATAACCCGAA  
ATCTAAGCTACATAGTTGGAATCACTTCAACTTATTGCAATAAACACTTAC  
TAAGCACCTATTGTGGGCAAGTCTTTGCAATGGATAATAGTTCAGTAGAT  
5 ATTTTGATGTAATATTTGAAATAACAATAAAAATTGCCACCACTGAATTTA  
TTGAGCATTGCTGTGCTTTAGGCACTAACCCAGGTTCTTTAAATATTTGG  
TCTTATTCGATCTGTATAAATAGCCATCTATGAGAAAGGGACTATTATTGC  
CCTTATTTTACAAATGAGGCCAATGAGGCCAGAGAGGTTAACTAAGTTG  
CCCAAATCATAACAGCCCACTAGTGGCAGAGCAGGATGCAAACCCAGGC  
10 TTGCCTCGTTCCCAAGCCCACATGTCGTTTGCATTGGTGTGGAGGTGTGCA  
TGTGTTTAGTCATTAGCATGTTATATGATAAGCAAGTTTTGAAACATAGAA  
ACTTAAAATGTGCCATTAAGAAAAGTACAGGCAAGGTTTTCCAAGGGGAG  
GTGTGGACCTCCGGACAAATTTTTAAGAATAATTATAAATACTTAAAAA  
TGGGAATAAGAAGACAACCTAACTACCTGAACAGTTTTAGAGATGACTCA  
15 TGCCACCCCTCTAAAACCCAAACAAAAACAACAAAGTCAAGAAAACCCA  
TGAAATCTTAGCAAGCGATTTCTATGTACTTGTGAAAAGGATTTCTTTACC  
ATTCTAATGGGATTTATGCCAACCATAGAGGGCTCAGTGCCCCTCCCATG  
GGGTGGTTAGTGAGTACAGAGCTGAGCTCACCGGCCATCTGCAGCTTCAT  
GTTATCAAGCTCCAGTTTGTCTTGGAGCAAGGTTATCTGGGACATGAGC  
20 AGAGGCATTGCTTTCTGCAATGGACAGTTCTTTCTGCCTGCATACCTAGCT  
CCTTGATAACTTTAAATACCATTTTATAGCCACACTGGAGTTTTGAAGACC  
TCAATATGCAAATATTACTCAGGTTCTGATTACTTGTCTGCTCCATGATAA  
CACACTCTAAAAGCAATGAATGGGGCTTATTTGTAGAGAACTGAAGCATT  
TTAAGCTTTTGCTCAGGAATCCCTGGTAGCTTCCTGTGACTTGCAAGATAT  
25 TAGTGATGGGTCAAGAAACAGGACCCCCCATCAGCATAACATACGCAGTG  
CCTCAGTAGTCCATCAGGCAGAAAAAACTGCAGATGGCACATGGAAATG  
ACCAGCGGCGGAAGATACCCCGACAGTGTGGGCAGTTCTATTTACGCAGC  
AATCAAGAGGGGGCCTGGAGCCACTCAATCAAGTGGAGCAGGATGGGAG  
CAAGCACTGTGCAGACCAATGCAATCCCCAGTTAACACAAAAAATAAATA  
30 AAAGAGATGAGATTCAGTCTCTTGACTGTGACTGACTGGGAGCTTTATAG

CTGATGCTTGTGTCTTTTCTCCATTTTATTTAATTAGGAAAAGAAATGCTT  
ATCACACACTCTACGTGTGAGGTACAACCTCCACAGGAAAGGTTGTTAGG  
AACATTTCAACTTCTAGAAGTTTCTAAACATAAGGTAAATCCATCTTTGTC  
CTTGGGATCACTGCACATCTCAGAAAGGCAAATAAATCAGTAATTGGTGG  
5 GCATAATTACTAGCTCATGGACTGACAAGGTCTACACTATTTCTGAATCTCA  
CAGAAGTAAGCCATGGGACAGATAGAGTCTGATAGTGGTGCCCCGTTTCC  
TGGAGGTCACACTTACTCATCCCCCTGGACCCTGGGCTTCTCATGATTGTC  
AGAGAGTTTGCTGGAACCAGGTCAGCCCAGTTTCCCTTCCCCTGAAAAAT  
CCTCCAATGGCTCGCACCAAGACTAGAGATGCAAGTGCAAGCACATCCAC  
10 CCTCTCAGCAGCCAGGTTTTGCGTTCCATAATGTCACGTACCCCCAGTCAT  
ACCAATCTCCTTGGAGCTCTCCAGACAGGCTGCCATGTGTGGTCGGCCCTC  
TGTGCTTGTGCTCCTTGGTTTGCCAAGCCTGGAATGCCCTTTCTCCATGAT  
TGTACTCTGGGAATTCTGTGTGTCTTTCGAGATGAAGCTCCTCCACCCTGG  
AAATTCTGCCTCTCTTTCCAGGTCCAGCTCCTGTGGCTGAATACCCTTGGC  
15 TGACTGAACATTCTTGCTGGGCCAAGTCTTAATCATCTCTAAATCCCTCTG  
GTGCCCCGACAGTATCTAGCCCAGGCAAAGGGCTCAGCAAATACTTGCAA  
AATTCAATAAACTTTACTATGTTACTAGCTTGGCATGATGTTCTAGGCACT  
TGGGAGATTATAATCTGGTGAGCATTGTGCTAGTCTTTTTTTTTGGGATAAA  
CACCAATGATAAACTGAGCCTTTACTCTCATTTTAGCACATCTACTCATCT  
20 CTTTTCAATGCTGGTGGGTTTATAAAACCCATCAGTAGAACAGAGAGTGA  
TCATAATCATATGGTGAAAATAACATCAGCTAACATATTTACTGAACATG  
CTTTAGTGTGCTGGGCACTGAACTCTGTGCACATGTGAATTTGAGATAGAT  
TGTTCCCTAGCTAATAAGATGAGGAAGTGGAGATGGGCTTACTCAAGTCAC  
ACAATAGCAAGATGGGGTACAGACAGAAACCAAGCTAGAAACCAAGCAA  
25 CCCCTGGGTTTGAAATGCATGGGCTCCTCCTCTGCACATGGCGAGGAGC  
AGTCAGGTGCTCCTCCTTCTCTCATACTGAAATAACTCTGCACTTTTGGCT  
ATTCTGTGACACTCTGTGCTATTCTGTAGCTCAAATGGCTCTGGTGCAAGG  
AGCTCAGATTATGACTAACCCCCATAGATATTCAGCTGCTTTGCAAGAAG  
TGGATGAATGCTCTGGCTTTATAAATTATTGACTAGATTGGATATTGGCCC  
30 AATCTCCACTCTGGTGATTTCGGAAGGAGGCATATGCACATTTGCAAGGTT

ATAGTAGTGCACTCTAATTCCACTGGCTTCTGAGAGCTTGTAGGTTTCTTG  
ACTTAATCATTCTGGAATTAAGGTAATGGATCCTCAACACCTTTTCTTTCC  
CTGGCCTTTACTAACCATGTAAACAGAAATGAGCAGAGAAAACCCAAGAA  
AGCGAACTGGAGACTTGATGAGTGTGTCAAAGATGCTCAGAGTCCAAGGT  
5 CCTCTGTGGCTCACTGACTTCAGAAGCCAACCTCCGTTGTTCAAGTCACTT  
GTGAGGTTACTATGCTAGAGCACTAAATATTATCCAGATAGCCCAAAGAG  
GTGAAGGCAGACATGTGGAAGAACCTGGATTTTTTGGGCAAGTTGATGAAT  
GCCTCCTGCCCCATATCAAAGAGAGGTGATAGGAGACAACCTTTGTGAATT  
TGAAATAATGCACCGGGGAAACAGGAAAACGTAATGTAAGTCACGCTTCT  
10 TGGCTTTTTTCTTGCCATTACCCTACTTGGCCAAGTGCAAATGGGATTTC  
ATATATCATAAGTATGCATCTATTAATAACAATGCAAGAAAGCTGTACAA  
CTGAAGTCTGAGATTTTTGTAAGAAACAGAATCTCTGTAAGCATCACCATC  
CAACAGAACTTCCTGAGTTGATGCTGAATCATCCCAGAAAGAAGGCGCGC  
CAGCTCTGCAGGATCTTCAAGTCTGGGGTGCCACCAGCAAGCGACGGTCC  
15 TCCATGGGCTCTTCACCTTACGGCAGTGTCCAGAGGCACCGCCAGTCCTCT  
GCTCCTATGCTGGTCCTGCTGTCCCTGGCAAAAGGAGCCAGAGCATTCTCT  
CCAGGCCTCCCGAGGAGGCTGCTTCCTTTGTTTTGCAGATGGAGGCTCCCA  
TCCTTTGTTCTGAATCAATGTGCTCCAAAGATAAGCCCCAAGAAAACAGT  
TGTTGCCTTTTGACACTGACAATTAGAATCGTTGGAAAATGGAGAAAACA  
20 GGAAATGGCAAATGGTTTCAGTGACCAGGAGGAAACCGTGCCTGAAAGTT  
GCTGCTTAGTGACTGGGACACTCGCTTTCTGCTCTCTTATGAAGGACAGCC  
TAGGCCGTGTGGCCTTTTATAAACAAGCTATGAAGGGGTCGTCAAATTT  
TCTAGGGCTGCAACTGTGGCACTACGTCCTGTTGTGCCAGGTGACACTGA  
CAAGCAGCACTGAGTTCTATGCAAGCCCAGGTGTGCTTCTCTCATGGTGA  
25 CCCCCAGAGAACTAAGGCCCAGCTCTTCCTCTGTACACCCCTCCCAGCC  
CCCCTGTCAGACAAGGGACCACATTCACAGACAGTCTCAGCCAAGATGG  
CAACCTTGGAAGTCCTGGGGATGCCTTTCTAGAAGCTTTAGGCTGACGCC  
AGGGAGCTGTAAAGCCCCCACCTGTCCCTGGGGGTGTGTGCTGGGCAGG  
AGAGAGGGGAAAGAGCCCCAACTCCACCACTGCCTGCTGGCACAACCTGA  
30 GCCCACGCCAGGCACTGCACCAGCTTCACTCACCAGCTACCACATGCTAA

TGTCTCCTGTTTACCCAGGTGCAATCACCTGAGTGCTGCTTTCTCACCCT  
GCATGGGAAGAACGATCTCATTACCAATTCAACCACTTAAGCAGGCAAAA  
GGACTCCAACGGGGGAAAGGCAGAGGACAAACGATTCGGGGACTGAGAC  
AGATGCCCACAAAATGTTCCCTGGATTTTAGCCGGATTCGGGGCTGAAGTTC  
5 CTTGCCCTATGAGCCCTTGGAGGAGAGCATCCTGACTCAGACAAGAATTC  
AAATGACAAGACTTCTGGGGGATGGCAGTGAATGGATCCAAAGCCTTGTT  
TTATAAAGAATGTGGAGGAAGGGAGGAAGGAAGGGAGGGAAGGGGAGA  
CTGAGAGGGAGAGAGAATAAAGAAGAGGAAGAGAAGGAAGAGGAGGAG  
GAGGAAGGGGAGGGGAGAGGAAAAAGGGGAGGGTAGAGGAGGAGGGAG  
10 AAGGGGAAGGGAGGACAGAAGAGGGGAGGGAGCGGGGAGATTATCTAC  
CCCTCCATGCTAGGGAACTCCTGTCTCCTTTTCCAGCAGACACTGCTCCAT  
GAGTGCCCCCACAGAGAGCCAGCCTGCCACACAGCAGAAGGTGCTCAGC  
TATCTGTCCCAAAGGTTGAGCACTAGTGTATACCACAAGGAAAAAACCT  
TCTTTTGTACTGTTTGAAGCCAGAATTAGAAACAACCTCGTTCACCCTTCT  
15 GACTTTCCCTTTGCAATGACAGGAAGATAGTATACTGCATGGGACCACCA  
CACATTCAAGATCTGAGTTGTGGGGACCCCCACCCCCACATGGGTGGAGC  
CCCCTGAGACCCGTGGGCTCTGACTGGCCATGGCCCATAGATAGTGACAA  
CATAACACTGCTATCTGAAGCCTAGTTGGAGGACGGATGGATGCTTTTA  
GGAAAAAATTCCCTTTAGTCGTCCCTCAGAACTACAACGGCTTCCTAAA  
20 ATGAATGGCAGGCAAGTTTTGATTGTTTCCTAAGTTCCCCCTAACTCTCAG  
AGCCTGTGACTCAGCTTCTCCAGAATGCCTGCAGGGAGGCAGGACCACTG  
GGAGTAATGAGCACGAATTGGGCCACTTCTCCCAGTGGACTGTTAACGCC  
GAGATCTGGGGTGAACCCACTGAACACCTGCCCTTTTGCCTTGCCGAGA  
ATGCAGCCAGAGGGATACGGGCCACAGTAACTCTGGGGCCCCCTGAACCTA  
25 CCTTCCCAAGACCCTGACGGGAAGGTATTGCTTACATGACAGTCCAGTCA  
GTCCCTCTGTCACTCAGTTAACAAACATGGTTCATGGGTCTACTATGGGCCA  
GGCTCTGTTCCGGGCATGGGGATAACACCGTGTGTCTCTACTCTTATGGAC  
ACAAGTAAATCAATCAAAGCAGATAATGTTCTAATGACCACCCAGTAGGG  
TGAAGGGATGGAGGGTGGGCAGGTGCTGGCAGAAACCTAAGGTCAAGTC  
30 ATGGGACCCCAATGGGGAACTGGAAACTGCCACACCATTTTCTATGTTAG

GGGTCTTTCCTTGCCCTTCTAGAGACCTCACCCATGGTAATGATGCTGCCC  
TCAGGTTTGAAGTGGTCTGAAGCTGTCACTGGGGGCTTCACAAAATGAAT  
GCCACTGAAAGCAAACGGCAGAGATCTGTATATGAAATTCTTTTACCCT  
TTGTTTTCTGTCTTCCCACATGATCTATGACTGCTGCAAACCTCTATTCTGAC  
5 TCCTCCTCAGTCTTGGCCGGTCTGGGAAGAACTTGGTTTAGATGCTGGGA  
ATGATCCCGGGCAAAGGAAACAAATATATTTCCAGCTTGCTTTTCTTCTTC  
CCCTGTGGTGCCTGCATCCTCTGTCTCGCACTGACTCACAGGCTGGACTGA  
CAAAGTGGCTGTGTTGACAGGGAGGATTTAGTGGATGCCAGGCCTGACCC  
TCAAAGGCCCTCAGGTGGGGCCAATTTCCAAGGTTCTTAGAGAAGATTTG  
10 GGGCCACAAATCTGCTCTGCCACTTCACTGCTGGGTGAAAGCTGTTGGCTT  
GAGAAGAGAGAGAATAGGTGAGGGACAATAATTCTCAAGGCAAGCTAGC  
TGATATCCTTTCATTTGTGGCTTCCAAAGACAGGGAAAGGCAAGGCAGAC  
CAGGGTGGAAACAGCGACATCCTGAGGGGACGACGTCGGTTTTGCTAATT  
CTGTTTCCCTGGCAGCTTTGTGCTGGACAAGATTTCTCTGGTTTCAGCTGA  
15 AGAGTGAACAGCTGAGGAGCTCTGTGACTCTGAGAGAGAGAGAAATCAA  
TAGCCCTTGAAAGGAAAGCACTGCTTGTTCTTCCAGGCCAGGGCAGGCAG  
GATAAAGAGAAACAAGGCTGTACATACCAAAGCCGAATTTCCATTAAAGG  
CCAGAATCCTGGGAGGCCCTTTCAGCTTAATGACCATCTTCTGATCACTAT  
CACTTAGAAAATGTTTCATGTCTCCAGTTTTCTCTGCAGATAGTGCAGACAT  
20 CCTGTGCACATTGATATTTTATGCACCAGATGCAATTCTCTGCAAAGGTCC  
CCTCTGGCTGGTGTCCATCCGCTTGCTCTCATGACCACTGATGCGACTCTG  
GGGGCAAGTCAAGCCATTCTTCTAGACTCTAGAATCTAGAGGATGATCC  
CAACTCACAGGCCTCTTGGACAAGCTTGCTTTGGATTCTTCTGCCTGTAC  
TACCCAGACTGCCAGTCCTCCAGCAGGGCAATCCAACCTTCTGCCTCTAG  
25 GGTGTGGGAGTCCTGGGCGGGGTTTGGAATCCACAGCAGATGGCTGGCAG  
GAGAGGCAGTTCCCGAGCACCCACTAGGTGCCAAGCAGGCAGGTATCAG  
GTGCAGGGCTTCGGAGGTGCAGAAGCACAGCCCCTGTCCCCCTCAGGTTC  
CCAGTCTGGCCTCAGGGACAGACAGGCAGGTAGGTATGGAAACGGGGTA  
CTGGAAGGCATACAGCTGAGGGAGAGAGCAGCTGCACCCTGGTCAATCC  
30 CCCACTCATTTCCTGGAGGTGGGGCTGAGGCACCTGGAGCACTCTGCTT

GCTTGGGTTGTCCCTTTGCCAAAGAATGCCGGGCAGAAAGTAGAGAAACAA  
GCAGGCCCAGGAAGCACTAGAAGTCCCTCATGGGTGGACAGAGCTTTACC  
TTCGGAGCTGTACCTCCTGTGTTCCCTCCCAACAACCCTGTGAGGCAGGCG  
GGCAGGCTGAGCAGGGGACTGTGCCCCGTTGACAGATGAGGAAAGCGAG  
5 GCTCAGGGGGAAGTGACTTACCTGTGGCGTCGCAGCTAGGCAGTAGTGGA  
GCGGGCACCTGCCTCCAGGCCTTCGGATCCCAGCTGCCCCAGGGGCGCTGC  
CTCTGAGGTGCTGTACGAGGAGGTGACTCGGGCCAGCTCATGAGCAAAGG  
AGCTGCCGGGCAGGAAGGACTCACTCCCCAGGGCCTGGCAGGACGGGGG  
CTGTGCCCCGAGGCTGACCTGGGGGTGCCTGGCTTCCCCAAGCTTGCAGG  
10 CTTTGTCTACATGAGTCTACAACAACCGATTGAACAATCCATCAGCTGCTT  
GGCCACAAAATGGTTCTGACTGATCTTGTCACTGCCCTGAGTGTCTAGCTG  
GGTCATCTGGGTGTTGTGGTTATACCCACCAACTGCTTTGGTGGAACGAA  
ACCGCGGCCGATCTGAATTCAGATCGGCCGCGGGATCATTCTGGACTCA  
GATTGTTCTGAAGAAGCCCAGTTCTGGGTGGCATCAAGTGCTTGCTAGAT  
15 GGGGGGCTTGCCTTGATCCGGCTACACTTGGAGGTGACTTGTTCTTGGAC  
GGCTACATACAGAAAGAGAGAAGTGGGGATGAGTTCCAAAGGCATCCTC  
GACTTCGGCTGTGGCCACCGGAGGGTAGCTCCTGGCCCAACACGGACTTC  
TCACCTCCCGCCCTTGGCTCTCTACTGAGCTCCCCCTGCTCCCCAATTCC  
TCGCCATTCCCCTCATTTCTCTGCCCTCAGCCTGGACTGCAGTTCTTCTGG  
20 GAAGCTGCCCCAACTCCCTAGGTCTGTGCTCACCAAGAGCAGATCACACT  
GGACTGAAATGCCAGCTGATTTGTCTCTTCAAGAAAATTGGAAGCTCCTG  
GAGGTCAGGGTCCATGTCTGCTTTTACACTCAGTGCTCTGTATGCAGGCCT  
GGCACTGCCCACCCTTTGACAGGTGGTGCATATTTTGTAGAAGGAAGGAA  
GGGGCCAGGTGGGGTGGGCTGGGCTGGTGGCGGGAGCTAGCTCAGCCTCT  
25 TAGATTCTCTACCCGATGGATGTGACCTGGGACAGCAAGTGAGTGTGGTG  
AGTGAGTGCAGACGGTGCTTTGTTCCCCTCTTGTCTCATAGCCTAGATGGC  
CTCTGAGCCCAGATCTGGGGCTCAGACAACATTTGTTCAACTGAACGGTA  
ATGGGTTTCTTTCTGAAGGCTGAAATCTGGGAGCTGACATTCTGGACTCC  
CTGAGTTCTGAAGAGCCTGGGGATGGAGAGACACGGAGCAGAAGATGGA  
30 AGGTAGAGTCCCAGGTGCCTAAGATGGGGAATACATCTCCCCTCATTGTC

ATGAGAGTCCACTCTAGCTGATATCTACTGTGGCCAATATCTACCGGTACT  
TTTTTGGGGTGGACACTGAGTCATGCAGCAGTCTTATGGTTTACCCAAGGT  
CAGGTAGGGGAGACAGTGCAGTCAGAGCACAAAGCCCAGTGTGTCTGACC  
CACCCAAGAATCCATGCTCGTATCTACAAAAATGATTTTTTCTCTTGTAAT  
5 GGTGCCTAGGTTCTTTTATTATCATGGCATGTGTATGTTTTTCAACTAGGTT  
ACAATCTGGCCTTATAAGGTTAACCTCCTGGAGGCCACCAGCCTTCCTGA  
AACTTGTCTGTGCTGTCCCTGCAACTGGAGTGTGCCTGATGTGGCACTCCA  
GCCTGGACAAGTGGGACACAGACTCCGCTGTTATCAGGCCCAAAGATGTC  
TTCCATAAGACCAGAAGAGCAATGGTGTAGAGGTGTCATGGGCTACAATA  
10 AAGATGCTGACCTCCTGTCTGAGGGCAAGCAGCCTCTTCTGGCCCTCAGA  
CAAATGCTGAGTGTTCCCAAGACTACCCTCGGCCTGGTCCAATCTCATCCC  
ACTGGTGCGTAAGGGTTGCTGAACTCATGACTTCTTGGCTAGCCTGCAAC  
CTCCACGGAGTGGGAACACATCAGGCATTTTGCTAACTGCTGTATCCTA  
GGCCAATAAATGTTGATCACATTTATAGCTGCCATGGTAGGGTGGGGACC  
15 CCTGCTATCTATCTGTGGAGGCTCTGGGAGCCCCTGACACAACTTTCTGA  
AGCAGAGCCTCCCCAACCCCTTTTCCATTCCCTATACCTGACAGATGGCCC  
AGGAACCCATTAGAAATGGAAGGTCCTGCAGCAGTATGTGAATGTGCGT  
GTGGGAGAAGGGCAGGATCAGAGCCCTGGGGGTGTGGCAGCCCCCAAGT  
GATTCTAATCCAGATCCTAGGGTTGTTTCCCTGTCCCATTGAAATAGCTGC  
20 TTTAAGGGGCCTGACTCAGGGAAATCAGTCTCTTGAATTAAGTGGTGATTT  
TGGAGTCATTTAGACCAGGCCTTCAATTGGGATCCTGCTCTTAGAGTTGGA  
TGAATTATTTAACTGATTTTCAGATCTCCTCTTTCTCAATGCTTTCAGAAGC  
ACAGTAACTGCTTACTCTGAAATGAATTCTACCCCCACTTCCACATATGCA  
CCCCTTGCCCAACCCCTTTGGGAACACTGGCCTTAACTGCTTACCTTCAAAT  
25 GGACTCATCTGTTGGGAGATATATGCATTCTGCCGTTCAAGGGGTCATTGCC  
ATAAGACCTGATCTCTGTTCCCTCTTGCTAAACAGAAGATGAAAAAGACAA  
ATTAGATTACAGCTACCAATTAATAATTAGCCTTAGGATCGCTGCGTGGG  
GACCTAGGACTTGGCTTTGGTGCAGCAGAAAGCATGAATAAACACACCAG  
CATACTCGCATGCATGCCCCACCCTCTCGAGCAAAATTCCACAGGTAT  
30 AAATAAAGTAAGATTCTGCACCTGGGTAAAAACACAACACTGCAACAGCAT



AGAATGGGGCAGGAGAGACAGAACTTAATAGCAAGAGCACACAGAAAAA  
AGTTTTAGGCATTTTGGATGTCCATCTGCTCAGGATGGGTCAGCAGTGAG  
ATGCGGTCACCAAAAGAACAAATGTAACATTAGGCTGCATTAATAGAAGC  
AGAGTATGTAGAAGGAGGGAGGTGACAGTCCTATGCTAACTCTGCCTTGG  
5 CCAGACTATACCCACAGGAGTCTGGGCATGCCAGTCTCAGGGAGACCCAG  
ACAGACTGGCTGCATTCAGAGGATGGTAAGTAATGAGAGTGGGGATTGG  
ACTTCAAACCTACCCAGACAAAGAATGGCTGAGCAAGCCAAGGATGCTGT  
GGCTGGGGCAGAGCAGACTGTGGGCTATGTAGTGGTGGATACCTAGCCTC  
TGCAGGGCTGTTCATAGGGAAAGGACATTGAGAAGAGGACTGAGGCTTGTT  
10 CCTGGTGGTCCTGGCATGAACGGCCAGATGATCACATGGTCAGGTGGACA  
CAGTCTCCAACACTGGGAGTAGCCAAACACTTACTGCCAACCTCCCGCCC  
TTCTCCTGACTAGTTGCAGCATAGGCAATTGGGAGGAGCTTCCTGTCTCCA  
TCTGAAAGCTGGCTGGGTGGGCAGGGGGAGGAGCGAGCCAAGTTTCAAG  
GCCGCAGTTTCAGCACTCAGTCTGGGATCGGCTCAAGGAGCAAAGGGGA  
15 AGAACATAGCCAGGAGGGAATAACATGAAGGCCCCCAGACCCAGAAAAG  
GCATGACTTGCTCTGAGACCCTCAGCCGGTTGGTGTGTCAGGTTGTGACTCG  
GATCCAGGTCTGACTCCCAGTCCAGTGCTTGAAGCCTCACCCACACAGT  
GAGGGGAGCCCGGCCATCTCTGCTCAACTGCTGCCATCTCTCTCCCCTTCT  
CAACCACCAAGGCAGCTCTGTCTGGGAGCACAAGCTCCAAGTCCACTTTC  
20 TGGTCTGTGTCCCCCCCCAAGATGCCAGAGGACTTGCCTCTACAACACGGG  
CTGCCCCGTGCAGTGCCTGCTTTTCCAGCAAAGGGCTTCTGGGAACCCTTCT  
CTGCACTCAGTGGGGCTGGTGGGAGTGGGGCGGGGTAGCGACCCAGTGCT  
TGGGACTGTGCCCAGCTCTCAGGCCTGGCAGCAGTTCCTGGCCTTGGTTCC  
TGCCAAGGCAGAGAGGACAAACACATGGCACCGGGAAGACTACACCAGA  
25 AGCGATTCCACCAGACTGGGGTTTGCTTTTCTATCCCGCCCTTAGCCTGCT  
TCCTGTCCTGGTCCCTGCCTCCCCCTCCACTGGAGCTGCCGTGTGGGCAGT  
GAGGGGCTGTTTCTCAGCTGCCCTATGGAGCTGCCCTCTCCCTGCCAAAGC  
ATTGGCAAGGCGGCAAGGGGTGGGGGTGGGGATGGGGGGTGGGATCTGC  
CTTCTCAAGCTCTCATTATACTGAGCACGTCTCACCCATTATTTTATGTCAT  
30 CTAGCAACACCCCATGTGGACACTGAGGAGCATGGGGGTACATGACCAC

TGCCCCAAGGCCACACCATCCGGATCTGCCTGAGATGGTCAGGGTTGGCAG  
CCATTTCTGAAGGCAGTCCTTTCGCTTTGGCTCTTCTTGTACCAGTCTCAG  
GACATCAGGGCAGAAGATCTACAGTCCCCAGCTTACTGATGTGACAGCAG  
AGGCTCAGAGAGGTTAAATGACTTGCCCCAAGGTGACACGGCTAAGAAGT  
5 ACAGTATCTCCTAACTGCAGACCAGGTGCTTCTGCTGCTTCTGGGGACAG  
ATTCCTGCGTGGCTGGCTAGGTCTAAACGGTCCTTAACTCCATCCCCACCG  
GTTGCTGCATTAGTTTCATCAAATAACACAGTTGTACAGAGGTAGGGGTT  
CAGGGGCAGGGGCAGATGGAGGCTGGAGAGTGTGACTAAGGAAACAGCA  
GGGGAAGTGCGGTAAAGTCCGAAGGGAGGGACGGAAAGAGAAAGCCAA  
10 GCCCAGGGGCGTGCCAGACAAAAGGAAAGGCCACGCCGGGGCAGGGCAG  
GCTTCAGCGGGTGCTGGGGCGTCTTCATCCCGGAAGCACACATTCCAGA  
GGACCCCGGAGTCTAATGGAAAAGCTGGCCAGCCTATCACTATGGAACT  
GCCAAGGCCACACAGCGCTACGCGTATTTAAATGTGCTGGAGTGTTGAGA  
TACTGTAGTGGTGGGATGCTTAAGTGCTGGGGTGCTGGGTGTTGGGATGC  
15 CTAGGTGCTGGGGTGCCGAGATGCTGGAGTACTAGTGTGCTGGGATGCTG  
AAGTGCTGGGGTCCTGAGATGCTGCAGTGCTAGGGTGCTGAGATTCTGGG  
CTGCTGGAGTGTTGGGGTGCTGGGATGCTGGAGTGCTGAGATGCTTGGAC  
AATGGGGTGCTGGAATACTATGGTGCTGGGGTGCTGGGGTATTGAGATGC  
TAGGGTACTGGGATGCTGAAGTGCTGAGATCCTGGAGTGCTGGGCTGCTG  
20 GGCCACAGGCTCTTGAATCCATTCGTCTGCCAGGGGAAGAAACCAGAAG  
ATAAAGAGCTAATGAAGGAGCTTTGGTTGAGAGGGAGGAAGTAATGGAA  
GGAGCAACATCTTGTGGAGGAGCAGGAGAGAATGGACCTCAGGTTGGGA  
GAGAGGGCCAGGCTACAGGCCAGAGAGGCAGAAGGATTCCAGCAGAGTG  
TGGGCTCCAGGAGCCAAGGGGAAACAGGTTTCTGGGAGGAGAGAGTCCA  
25 GTACTGCTGAAGTGGCAAGTCCGCTGAGGACCAGGAAGCTTCATTTGGCT  
TTATGACCAGGAGGAATTTGGAAGTGTGACTAGAGTACTTAGGGGGAAGG  
AGGCAAGACTGGAGCCAGATTGCTCTGGGTTGAGGGGTGAGTGGGAGGT  
GAAGCAGGGCACTGTCACTCCTTTGAAGGGTGGCAGAGAGCTGGAATTGG  
TGCTGGATGGGCTGTGGGGTGACAGGGTCATGTGGAAAGCCCCTGGGGGG  
30 CACCTGGAAAAGGAGAAGCTGACAGTACAGTGAGAGGACAGCTAAGGGA

AAGCGGAATGGCAGAACACGCACTGCCAGGAGGAATGAGGATAGGGTCA  
GGAGTGCCAGGGGCAGTGAGGCCAGCCTGGGGTCAGGTGGCAGGACGTG  
TCCAGGAAGCTGGTCTGCACTGCAGCCCACACTGGCTCAGCCTTGAGGTT  
CCCTGTGTGGTTGGGGTAGGAAGTTGAACCCTCTGGGAATGGAAGATGGA  
5 ACCAGCTCTGCGAGCCAAGCTCAGCTTTTATCTATGGGTCTCTGAGGGCTG  
GCAGAGCTGAGTGGGGACAACCTGTGATCCGTGAGGCTCTCAGGTTGAGGT  
GGCCCCTCCGGGAGGGCTTCATTTTCCCAGCGGGTAGGTTCTAAGCAGCA  
GTGGCTGGGCAGGTGGGTCCAACACAGAGCCAGAGAAGGGTGAATGGGC  
CTCCTGGCACCCCAACCCTGCTGCCCCTGAGCTCAGTGATGGAGGGGGAC  
10 AGCACAGCTGAGCCCAAGTGCTTTGGTGTGGCCCTGAGGGAAAGCTGCAG  
CCTGCCTGGGGCCTGGCATGGATGGGACACTTGAGGCAGAGGGACAATA  
GTGGGCGCTGCAGTGAGGCTGGCTCTTGGAGAGGTTTCCTGAGGAGTGCT  
GCCTGAGACGGGCAGGGAGAACAGAGACAAAGTTGGTGACAGGGAATGA  
AAGCTGACTGAAGGACTTTACCCAGACCTATGAGGATATCTCTCTCAGCA  
15 GGAAGCAGGAGGGGACTGTGTGAGGACTGGCCAAGAGCTGGAGTGTTGG  
GAAAATGACTCTTTCTCCGACCCCTCTGTCCTAGCTCTGGCCCCTGGACTG  
CGGAGGTCTGCTTCCACCCCCATTGGTCGATCGTTGTCCCTTGTCACAGCC  
ATTGAGAATTTTGGCAGGGAGCATGTTCTTAGAGCATTTTTAGGCTCTGCG  
GGACATAACAGCTCTGCCTCAGAGCACATGCCTTTCTCAGCTCCTGAAAG  
20 CCACTGATCAAATTGGAACATTTTGTACCTTAGGGATGAGGATATCAACT  
CTCCAGCCACTTAGAGGGATAAATGTGATGATGCATTCAATTGTGACTA  
CATCTGATCCCAACTGTTGCTTCAGCTGCTCTCCTATAGCACATGGCGGGA  
GGCGTGCATCCCAGTAGCTACCTCCCCACTTTTGGGGAGATGTGGTTCCAT  
CCATGAAACCTGGGTACCCGCCTACCAGGTCCTGGCCTATCAGGTGGCAG  
25 GGTCTGGTCAAAGAAGGGCATGTGTGGTCTTCAGCAAGGGAGACAGGAC  
GGTGGTGCAGAGCGTCTAGACCCTCAGGGCAAGTCTCCCCCACACCTGCT  
CCCGGGGCAGTTGTCTTTGTGACCTCCCATCCCCCTCTGTTTCATCCTCTAT  
AAAATGAGGGGCTGAGCCCCAAAATAACAGGCTTCTTTGCCATGATGCAA  
AACTGCTGAATCTTTCTTTCTGACACACAAGGCATCGAGCAGCCTCTGAA  
30 AGAACCAAAGCCACTAGCAGGCTTCCTGACTTGGGTTTGTAGGTACTGAA

TACTCCCTTGAAAAATAAAAACATAGAGGCACTTTTCTCCTGGCTGTTTAT  
TACAGAACGAAGAAAAAACACACTGGCTTGAAACAGACGCCAGATTTCA  
AATGTAGAGGTGAAATACGAGGTGGCAATTAAAATGTGATTACAGAAAG  
TCTGGACACTGAGAAAAGTTTACAGGACAGTGGGTGTGGGTTTTCTATAA  
5 CAGACACTTAAATATACATGACGATAATTGCAGATAGAAACCATCAAAGA  
CAAACCCCAAATCAACTAATAATGTTTACAGATGTTCCCCCCCCAAACCAC  
AGAGCCTTACATCAAAACAAATACTGAAAGGCTTTAAACCAGGAACAGCT  
CGCCTTAACCCACGAGGGTGCACACAAGCTGGGCTTTTTCTCTCGGTCTG  
AATGGTAAAGGGAGGAGGATACTCTAGCTCCTCCAGGTGGATTGCTGAGA  
10 CAGGGCTCGGCTCACACACTGTCTCTGCGCCTCTCCCAAATCTGGAGAAC  
TCTCCCAGCCTCCTGGTAAAGTGTCTCTGTGGGGCACTTAACGATAAAAC  
AGCTTCTGCTGTAAAGCTCATTAGGAAAGAGCTAGCGGAGACTGAAAGGT  
TCGCAAAAGAGATTAAGAATCACACAAGGCAATAGGATTTTTAGTGAACA  
TAGAAATAAATGGCCAAGTGGTTTTCTATTTGGCATTGTCAACTTGCACA  
15 ACAACTCTTGGTCATATCCACATTGCTCATTGCATTAAAACCATAAGCGAC  
TCAGCCACCTAGCTTAACAAGGTATCACTGGAGCAAACAACACGGTCTGC  
ATATTTGTAAACATTGTATAATAAACACAAAACAATGCATAGTAAACACAA  
CTCTACTGAAACAAAAGCCGTCGCTTTATTTACAAAGTCACAAAATGAAG  
TATAAATACTTCTGTCATTAATGTTTAGGAAAACCATTTACAAAATTTTCA  
20 AATATGTACACGTAGCTTGAAAAATCACCAGCTTTCCATTTTGTACAGGT  
AGAGAGAGGGATAAGCATGGGCTGACAACACCACTCAAATTGTAACGGG  
AGACAACTGCGGGTATGGATCGACACCACTTCCTAGAGTGATGTCACCAT  
GGGGGTTTCTATGGGCATCCTGCTCAGATTTAAAGTGCCCCAGCATCCTG  
GGTGACTTGCCCAGAATTCTGGGCTGTGGCATTTTGAGCAGCAGCATGCT  
25 GTTCCAAAATGTCGTCGATCAGCCTCAAGTTGCACACCCAGTCTTCATCTG  
GGCTCACACAGGAGCCTTTCAAGAGAGCTTCAATGAAATCTACCTCATTG  
CAGTCAGGTGACGAAATCAGATCATTTAGTGGGGGTGGGGCTGGCGCAA  
AAAGTCGGCAGGTGGCAGCTCAGGGGGAATATCCGTTCTGTGGAACGGAC  
CTGGGAACTGGCTGGCAGCAACGGCAGAAGCAGCAGCAGCGGTGGCAGC  
30 AGCAGCCACATAGCTTGGTGGCTCGATGCCCTGTATGGGGCTCAGGGGAC

TAAAGCTGGCCATACCCTGCTGGAGGAACTTGGTGGTGTGTTTGCTACAGGC  
ACCGGGCCCTGTACCGGGCTCTGCCTGAGGCTCTGGCTGCCCAGCAGGCT  
GAAGCTGGGGTTGTTGGCCAGGGGCACTTGTGTTCCCATCGCAGCGGGCA  
CTTGTGCCTCCCAATCAGATGGCCTCTGAAGGCAGGCCTGGCCAGAAGGT  
5 GAGTGCTGCTGAACGCTATTATCCACTTGGCTGAGGGGTGTTTTCCCGAA  
ACTGCTGTGGTCACAGCTGCTGCCGCTGTGACCCATGCAGCATTGTTGAA  
CGCAGTGGGCATTCTTGGCACACTAGGCCGTCTGAGCTGGTGGGGACTCA  
AGGACTGGGTGCCCAGGGAGCTGGGACAGAACCCAGGCAGGGGGCACTTC  
TGGTGGGGTGGCCTTGGGGGCTCTGCATATGCTGGCAGACAGAGTCAAGTC  
10 TGCCCAGGGGAGTCTGGCCTGAGTGTGAGAGGATGGGACACTGGGGGCT  
GGAGGTGAAAATTCCTTGCCGCTTCCCCAGAGTTGGTGAGATCACTCCCA  
TGCCCGGCGCGCGCTCGACGTGAGCAAGTGGAATGGAGTGGCAGGGAA  
TGAGTGAGGGAGACAACAGCTCAGTAGGACCTTGTGGGCTACTGGAAAG  
ACTTTGGCTTTGACTCTCAGTGAGATAAGGAGGTATTTGAAGGAGTTTATAG  
15 CAGAGAAGGAACAATTCTGTTTATTTTATAGGAGCTCTTTATATATTTAGGA  
AATTACTTCTTTGTTAGTCATATATTTTGGAAATTTGTTGTTCCCCGTTTGT  
ATTTCTGTTTCTACATTTTGCTTATAATATTTGTCTATGTAAACCTTAATAT  
GTACTTGGTTAAATTGATAAATCTTTGCATAATTAATAGCTAGCTATTGT  
TGGCCTACCTATAATTAATTTTTGCTTTATCTAGTAATAGGCCTGAATTTTC  
20 ATTTGGGATCCAGCCCTCTCCCTGACACTATGCAGGGCCTGGGAGACTAA  
AGCCTGCTGGAAATAACTCCAGCTTGGCCCTGCCAAACATTACAACACCT  
AGCACCTGCTCTCCCCACCATAGTGACTGATTTGGGCAGGAATGAGACCA  
CAGCCACTCCAAGAGCCCAGCTGTTGGCTACCAGTAACATCTTCTCCTCTA  
AACAGGAGATCCAGCTATATTGAAGGCTTCCAAAATTACCCTATGTCTAC  
25 CTGTACACAGGAATGTTTCAGAGGACTAAGCCTCTGCCTTTCTCCACCCATA  
CTTACTTCATATGGAAGTATGAATGGGCAACTTCACAATTTATTATTACG  
TCACCTAGATGCAAGTCAGAGGGAGAAGCAACAAATCAGCAGTACCTAA  
GAAGTTCTCAAGTCCTCAAGGTGAACTTTACCTATATATACAAAATATATT  
TGCCTCTTTCCTTTAACCCTTTTTCTTACTCCCACCACTTTCCACCCAATGT  
30 GTAATAATATTAGTCACTTCATAGAGTTCTTATGAGAAGTTAAATGAGGA

AATCATGTAAACCACTGAGGGCTGGCAACAAGTTCTTAATAAGTGCTATT  
GAGTTATGAGTATTATTATCTCCCTTGGGCTGGATTCACAGTGTCACCTCT  
TCTGGGACCATAGTAAGCCAATGGTTCCAGCTCCTTCTATTATGTCATTTT  
AATTTGGGGAATAGCTTAACATATTAGATGATCCTTTACATGCCTGAGCG  
5 GTCTTTCTTTGATGGTATTTCTATGATCTTATGAAGAGCTAGATGTTGCCG  
CTCCATTTTATCTTGCTGGTGGCAGCTGGTGTTTAGCCAACCTGTCTTTTTT  
TTTCTGTCTTTATATTTTTGGTTTTGTTTTTTGGCAGAAGCCTGTGTTTTTCA  
GATTACTTTTTGCTTGTGTCTACTTTTTCCCAAAACAATATTACATATTAAA  
CTTATTGTATATTTAAGTTTATTTTATGCATCAAAAGTCGCATTGAATTTCT  
10 GTGCTATTGTGGGGCAAATTGACATCAATGTAATTTAACTCATTTTATCCC  
AAATTAGGCTATGTCTTTCCATATACTCAAATCTTCTTTTATGTCCCTCAAC  
AGTTTCCTTCATATAAATATTGCATATTTCTAATTAAGTTTATTTTTCTAAT  
CTCCATTTTGGATGTCTTAAATATAGTCTTTTCTCCCTTTGCTCTTTATCAA  
AGATCTGCAAACCTATGGCCTGTTTTTGTAAATAAAGTTTGTAAATAAAGTT  
15 TAAATGGCCACTCCCATTTGTTTACATGTTGAGTATGGCTGCTTTCAGACT  
GAAATGGCGAATGAAGTGGTCATAACAAGACCATATGGCCTGGAAAGCA  
AATATATTTATTATCTGGCAATTTACAAAAAAAGTTTGCCAACCTCTGCTT  
TATATTTTTGATCTAGTTGTTATTTGAAAATAAAGCTATTGATATTTGTATA  
TTAATTTTTTACCCAGCTACCTTATTGTTTTTATTACTTAATAGTTTACAGT  
20 ATTTCTTTTAGTTTTTCCAGGTGTAACATCTGTAAATATTAATAAATCTATT  
AGCTAATATTTTATTTAGCATTTTTTATATCTATACTCACATGAGAAGTTTT  
CTTTAATTTTCTTTTGTGTTTATCAACCTGTGTTCCTCAGGAAAATGAAG  
CCACTTAAGTATAACCAGGAGTGGAGGGTTTCATATAGAAATGAGGGCTTA  
TTTGAATTTTGGGAAAGCTGATGAAACAGGTCAGCAGAGTTACTGCAGAA  
25 GACCAGGAAAGTTACATCTGGAAGGTTAGGGAAGCAGACACTAAAGACT  
TAAGCCTGAAGCATAGAAGTAAGGATCCGTCAATACTTATTGAGAACTT  
CTGGAATTCTCAAGAACCTCTGAGAAATCTCCCATTTCTGTGGCAATAAAG  
TGGTGGTACTCAAGCCATCACCAACATGGCTCATATGTCTCATTGCACTAT  
GTCCAAAGACAAATGGCCTCTGCTTCTCTTCTGTCTCCTAAATCTCTTAAG  
30 ATTTCTCTTATTTGTTTAAGTCTAACCAGAAAGACTTACATGGCAGGTAA

TTCTGGGAAATGTATTCCCTTGTTTCTCCAAAGGGGTGGGGATAATACCA  
AGTTGACAACAGAAAATCTAGCACCTTTTTAAGGTTTTGGCATCAGTGA  
TTTCTTGGTGCTCTAAATAGTTCTTATGATTATTCCATGGGTGCTTAAAAA  
GAATATGTATTCTCTGATTTAAGAATATGTAATTGATTAACTATTGATTA  
5 GATATTAATAAAATAGATTTTTTAAATTACCTTATTAATTTGGTTAAGTCCT  
CCATGACTACTTATTTTTTGACTATTTGTTATGGAAAGGTGTAGCTAAATA  
AATATAGAACTACTCTATATGTGTTTCTAGTTCTCTATGTATTCTCTACATT  
TTGCTTTATAATTGTTTTCTTTCTTAGAGACAGGGGTCTTGCTGTGTTGCC  
AGGCCAGAGTGCAGTGGCATGATCATAACTCACTGTAGCCTTAAACTCCT  
10 GGGCTCAAGCAATCCTCCTGCCTCAGCTTCTCAAGTAGATGGGACTACAG  
AAGTGCATCACCACACCCTGCTAATTTTTTCTTATTTTTATTTTTAGTGAT  
GGAGTCATGCTATGATGCTCAGAGTGGTCTTGAGCTCCTGGCCTCAAGCA  
ATCCTCCCACCTCAGCCCCCTGAGTAGCTGGGATTATAGGTGAGAGGCAC  
CATGCCTGGATTTGCTTTATAAATTTTGATATGTTACTTGGTGCATAGATA  
15 TTCATTGCTGTTAGACCTTCATTATGTGTTGTACCCTGCCCTTCTTTGGTTC  
ACTTTTCCTTGAATTCAGTCTTGTCTGATATTAATTTTCAGCTGTCTGCTTT  
CTTCTTATTTCCATTTTTCTAATATGCTTTTGCCTACTCATTGCTTTCAATT  
TTTTCTGAGTCATTTCAATTCTAGATGAGTATATTACAGTCAGTACTTAATT  
GGGTTTTTCTTTGTCACTGAATATGAGTGTCTCTTTTCCTGTGTATTGATAG  
20 GGTAGATATGTGTAGTATGAGTGTTACAATTTTTTAAAAAACTTTGATTTC  
TCTCCTTTGTTTTATTTGGGGTCTCCGGTTATTTTTTAAGGTGTATAGTGTC  
ATTTTATTTTTAATGTTTGCCTCTGTAAAAATAATTTTATAGGCTGTACTTA  
ATCTTCTATTTATTTAGCTAGTTTATATTGACTCTTCAATAACAGTAGTAA  
ATGTCCCTACTTCTAACTCCCCTTGCCCTCCACCTTTTAATTTTGTGGGGTA  
25 TACTACTGGCCTTAGTTTTTCTAGTGGTTAATTTTATACATTTAAATAGGTT  
TATACCTTTTAAACTTCAATGGCCACCTTTAAAAAATATTTTGACCCCAACC  
ACTATAAAAAATAAACATGCCATCTTACACGCACAATCTCACTTTCTCTCC  
CCTTACATTCCCTAATTTTTACTGGGTATTTAATATTTCTTCATCATCGTG  
GTTGATTACATTTACATGTATATTGCAGTGGTAGTTCCCATAAATTGTTATA  
30 ACCTTTAACCATAGTTCTACATTTATTTTTGCCACCGTTTTTCCCATTCACC

TTTTGGTTCAACTTTATCTTCTAGTAGTGTCTTCAAAAAAGTGTTCTTGGA  
AACTACAGCCCATGAAACATTATTGCATATTTGAAAATATTTATCTGTCAC  
CATTACACCTGAATGACAATTTAGCTAGCTCAAATTTACTGGCTCACATCA  
TCTTTTTTTTTGGTAATTTTTTAAGTACTTCTCTACTGTCATGTAATGTTGTA  
5 TGTAGGATAGCCTAAAGCCAACTTGTGTTTTTTTATTTTGCTGTTATAGTA  
GTTTGATCATTTTTTGCTAGATGCCCCATAGGATTATTTTTCTTTGTCTTTA  
TTTCAGGAAACCTTACTAGACTATGGTTCAGTGCTGACTAGACATTTTTTT  
CCTTAAGAAACACCATGCCCTTTAGATCCTTAGATTCAAATCTTTTTTAAT  
ATCAGTAAAGTTTTTAATTTACATATTTGGATATTTTATACTTCTCTAGTT  
10 TTTCTTCTTAAAGAAGAAAACATTAATTCTGTCTTTGCCTGTCTTCCATATC  
TACAATTTTCTTCTAATCACTTTTTTATAATTTCCATTTTCAATTTTGCTCAATT  
GCCTCAAAGCTGCTATCTATTTTTCTGTTGTCAACAATCTGTACTCTTACAT  
CAGTACTATGATAATATTGTGTCACCATTTACTACTATTTACAAGCTAAC  
CATAATTTCTCTGATGATTTTAGTTTTCTCTTCTACTTTGTGTCCTAGATAC  
15 AGGCAGCTCAATTTTAATTTTTGTTGCTTTTCTTGATTCTTATACCTCTGC  
ATTAAGCTCTTAATTCACAAATTACTTCCATTGTTAAGTTATTGAGTTCTT  
AAACAAATATTTGGTCATGATTTTCATCTACTCCACATCAAAATGTTCATA  
CTGTGTAGGCTGTTTGCCTTTTTTGTCTGCTATTTTCCACCATTTTGTGAC  
ATTTTTGTATGGATCTCCTTGTTTCGTTTTTTATTATTAGTCATCCTTGAGTG  
20 AGCAGAAATCTTCCTAGAGCAGGTATTTGAAAGAAGTAGTGTGGAAGAG  
GGGCTGGGGCTGTGTTCTGCGTTAGTAGAAAATCCCCTAATTCTTAGAAA  
AATCCTTTATGATTCATGGTCTTGTGGGAGAAGGTTGTGAAGCGGGTTTTG  
TGAATGTGCTTCATGTGCAATAGAGAGTGACTGAGAGGTGGTTTAACCTT  
TCTTCTTAGCTCACAAAGAATGGCTGCTACAGAGCTGCTTAACACCCACA  
25 GTTTTTCTTCTACATGCTGCACATTTACAAAGATGGAGTATCCGTGAGTTT  
TCTCACTCATTCTACCTCCCCTGCCATTTTAAAGTATCCAAGGAAGTTGG  
GGAGATTCCCTCAGCTAAACAGCCACCCAGATCTTATTGTTCCAAACAAA  
AAATTATTAGATTTGCCCTCTGAGCAGGTCACCTACTTTGGAGAATTTTGT  
GCTCTGCCAGCTCTCCTCAAGATTTGGAAAAGCAGTTATTTTCTATTGGAG  
30 CCCCCATCACTCCAGTCCAAAGTTCACTGCATGTGACATCCCATCTTATTT



GTCTGGTTCCTGATTATAGGAGTTTCCCAGTTTCAACAAAAATACTGTCTT  
TGTTTTTGTCTCTCATTCAATTTTTCCCCAATTTTGTTTCAAAGCGAAAAGTA  
AAAACATTCTTACTCTAACATCTTAAAATTAATGTCTGGGAGGAACCTAA  
ACTGCTCATTAATATATGCCATGCTATATGTGATATGGCAGAGACTGCTAC  
5 CTGTCCACCAGAATCTATTTATTTTTCTTGGATGCACAATAAGACTACATT  
TCCTAGTCTCCCTTGCAATTACATGTGACCATGTCATTAAGATTTAGTGGA  
TGAAATTTAAGCAGAAGCAAGGTGTGTAAATTCTAGGGCTGGCCCATTAC  
AACTTTAACATGGGCACCTGTGTGTTTTTCTTTTCTGCTTAATTGGGTTG  
GAGATAATCACAGTGATGCTGAAAGCCATGTGCTAAAGAAGGCAGAGCC  
10 TCCTTCTGCTTGGGCTCCTGAATGACTGTGTGGAACAGAGGCCCTTGCCAC  
TCTTGGGCCATTCTGGATTATTACATGCACAAAGAGTAAAGTTCTTTTCTG  
TTAAGCCATTAGATGTATGGGTTTATTTGCTGTTACAGCCTAGTCGAACCC  
AAATGATGTAGTGAGGGAGGCAGGACAAGGAAGAAACCTATTCAGTATG  
GAGTTATCCTTAGGGACAAGTTACAAAAATTATAAGGATCAGACACCACT  
15 GCTGGTTGATCCATTATAGACCAGAATAAGCAGGTGGTATGATTCCAGAA  
GGAGATGCCATGGTTGTGTGAGAGAGAGATTAACCATTCCTATAAACAGA  
AGGGTCAAAGAAAGTAGCCAGTCACCAGAATGCTTATATTAAGGAGGATT  
GTGACTACCTGTATATAAAGTATAGGAAGAAAATGGGGCAGGGCAATTA  
AGATGAATTGCAGACACAACCTATTTGTGCATATTAATTTGAATTTAAATTT  
20 AAACCTAATTTAAGGATAATTTAAAGGAAAATCTTCCCTTACCTATTTTCT  
GCTGAAGGGGTCTTTCAAGTTGTCAAACCTCTCTATATAAATAAGACTGC  
ATAATCCAGACCCTCCGGAATCCAGAGATGAATTGCATGTGGTAGCTGAT  
GTGTGGGAAGCCCACAGAGCAGCACTTCTGGTCATTGCCATCCAGCTAGC  
TGGTGCTCTCAGAAGAATGAGATGAAGAGGCATGACTTTCAAGCTTCCTC  
25 TGCCATACAAGGTGAGTTTGGGTTCAGGCTTCTTCCTAGCCCCCTGTTTCT  
GCTTCCTCTGATTTAATACCCAGTCACTGAGTACCTACTAAACACTCGGCA  
TTAAACTGAAAAGAACAGGGAAGTCAAAAACCTTTTACCAATGCCTGATG  
GGATAAAGACATGACCCATCCCTCAAAGAGCTTGTGGTCTTCCCATGGCA  
ATGCCCTTCCTCCCTAGGCCAGATGGACTGTGAAGAACAGCAGTCTCAAG  
30 TGGATTTATTGGGAAGCTCATGAAGACTCAGCTCAATGGGCCATGTTTGC

AGGGGCCCCCTTACAAGGCTCTGCACTTGATTTTGTAAATTTTGAATTATTTT  
TCTCAAAAAGGCCTCCCAAATTATGTAAGCTTCAGGCCTTTAAACTTGG  
ATCTGTTCCCTTGAAGCCACATAATCTGATCAGAAATAATTTTCAGGGCTC  
ATTGGGTGCTGGAGAATTCATGGTTAGATATTTAAATAAAAAATGCAGAGA  
5 ATCTATAGGACTTTCCAAGTGAAGACCAAGGCTTTTTTTTTCTGGTAGCTTG  
ACTGCCAGGAAACAGAAAGCGGGGCATCTCCACCTGCTGGCAGAAGACC  
AAAAGTACACCATATTGCATTGACCGCAGACATCAGGCTTTGTTTCCTTTT  
AAGTGAATAGGTGAAATCAATCAAGCAAAGTGAATTAGGAAACAGAAG  
GACCACTCACAACCGTACCTCCACAGCAAAGCTAACACTTTCATTTTGAA  
10 TAACCCCTTTCCAGCCCCTGTTTACATCAGTCACATTTTTTGCATGGACAT  
AATAGTGTTCAGGCAGTCCTGCTCTACAGAAGGCATTTGTTTCGCTGACC  
ATAAGCATCTTATGTGCTTCTACATTGTCTTTATAGCCAGCTGTCTGAAGT  
TCTACATCATCCGTCAGTGATGGGTCCTGAGTAACTCAGCAGTCTCCTCT  
AAGTAACTTGTATATATCCCTTTTATAAAGAATGCTGCAGTGGCCACCCTT  
15 AAGTATAGAACTTTGTCTTTCCCAGGCATTACTTACAGGAAACTGGGGAC  
CAAATGCCACTCCATAGCATAGCTTAGGAGAAGTGAGATTCCAAAGGACA  
GAGTGGGCTGGCACATATGTAGTAGAAGACTGGACAAATGAGAGTGAAT  
GAGCGAGTCTGTTGTGAGTGGATGACACGCAATGCAACCCCAAGGGCCG  
GCTCCAATTTGCACAGTCCCTAAAACATCCCAGGGATCCAGTCTTATCGC  
20 AGTCTCATCAACATTGACAATAATCATTTAGAGAATTTTCACCATGAGACT  
TTTGACACTCTGCTCTGGGATTTTGGAGTTCCAAGTCTTTAACAATTTAT  
ACAGTCACTCAAATGTAGAATCCAGTGAATTATTAATGACAATTTTGCTCC  
GCATATTGAAAGGGCATTCTATATTAATCAATTATAAATCATGATAAATTG  
CTTTCTAAAAATTATACACTTGAAACCCAGAAATGTTCAAGCCCCTCACC  
25 AGTTTACATACATCCTTAACCGTGTCTTGTAACTGGGTGACCAGGAAAC  
AGAGAAAGGAGGATGTACTTAATGAATAACTGGCCAGAAGTCGGAAGAC  
CTAGATTTTCTTCCCATCCCTTCCATAGATTTGCTCTGTGACCCTAGACAA  
TTCATATGCCCCCTCTGTTACCATACTTTTAAGCTGAAGGGGTTATAGTGC  
ATACTTTCTGAGGTCCTTCTAACACTGGAGATCTATGAGTTCATAAGATCA  
30 CATAGAGTCTTGGACTTTTCAGAGATCACTAGGCATAAGAAAGCCCTCGA

GGACATCCTCTTCCTAGATCAACCACTCCAAGCTAAGACCTTAATGGGTCT  
ACACTGTCATCCATTTATATAGGAGAGAGGATGGTACAAGCTAAGTGAAA  
GTCTGTTGTCAACTCAGGAACTAGGGTACAGTTCCAGCAATCAATCTCCA  
TGGAGGGTTAGCAGAGGTCTGGCCTAGCCAATTAGGGTTTGGCACTGCCA  
5 TATGCTACTAGAAAACACATGCTTTCATGCCAGGCAACAGGGTGGGAAGT  
GCAATGCCATTAAGGACCATACTTAGCCTACTTAAACTAGCCTGGGATT  
GAGTTACTGAGCTCAAAATACAATTCAGCACACTTTCCTGCCCCACTGCAA  
GTCAGGCCAGCCCCTGGAGAACTCCAGGGACAAGGCAAGTCTGGAGTTTG  
TCCCCAAGGAACTCCCAGTCTAGTGGAGGAGATGGGCCCCATAGCAGAGTT  
10 ACAAATGTCCAAAATAAGAGCACAAATTCCTGGGTTCTTAAAGAGAGTTC  
AAGCACACACACACAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAGAAAT  
TAATTTAGATAAGGAAGGGAGGTAGGGAGAGATGGTGCCAGCAATGGCT  
TCCTGAGGAAATGTCACTTGTGATGGGTCTTTTAGGTGAGTTGGACATTGA  
GAGAAAGTAATCAAAAGGGCACAAGATAGGGTAGCTGTCAGGTAAACAA  
15 AACAAAACCTGTATGCACAAAGGTCTAGAGGCAAGAAAGCATGGGTGTGC  
TTGCATAGCAATGAAGAATGTGGTTTGGCCAAAGCATAGGATTCACAGAA  
GGACCTCCCCAGGCCATCAGTAGTCTCTCCTTCGCAGGAGTCCACTGTGG  
CTGGACGAGGAACAGATCAAAACAGGTCTTGTTTGAGGCTTGGCCCAACA  
ACAGGGCCAGCTGTTGACCAGGGCTTCCTTCACCCTTAGCTTTCTCTCCCC  
20 CTAGTGTAGTCAGAGACTCCAAAGGCAGTCCCAGAGTGTTGTGCCAAAAC  
AAATGCACATCAGGCTATTGTCATCAGGAGCCCTTGCTTTGTTCTGTTTGT  
TTTAAGAAGACATAAGTGAAATAACCAGGTTTCCGAAGAGAGGGCAGAA  
TTGGGTTTGTCCCCAGGGAAAATGAGGTTTCTCCACCATGGCTGTTCTCCC  
CATGCAGCAGCGGCCAGGGGTCCCCAGCAGCTCTTTGCTCAGTGCCCCTG  
25 ATGCTAGGCCTGATGCTTCCTATGTGGTCAGCTCAGATGTGCAACCCTTCT  
CCATTTTTATTATTTGAGCAATATAATCATTATTGCTTTTGTACCCAAAAT  
CTTATAATCACCCATTTAAGAGTAATGTAGGAATCATTTTTCTCTTTTATT  
GATGAACATAATCTTTCTGGTTGGCTCTTGAGGTGGGAGGGGTGGGCAATG  
GGGACCAGCCTGCTTCATCTCACTCTTTCCTAGGCCTGCTCCTTAGGCACG  
30 TGCCCCACAAATCCACCTCCGCAGGTTGGAAAAGGGGCCACAGAGGAT

CTCAGGTATCTGAGGAAGGGCCAGAGGCTATTTGGCCTGACATCCTGGAA  
CATCACCAGCCAGGAGCCATAACTCCTTTAGGCTAGCCTGCCTGCAACTG  
GATCAGGTATAGCAAAAACGATTGATCTCACCTTCTAATTTTCAATGAGT  
GGGAGTGGCTGCCTTGAGTGCTGTGTTGGGAAGGAGTCTGAGGCAGCATC  
5 TGGACCCTGTGTAAATATGCGTTTCCTGTTATTGATGAAGCTTTCAAGACA  
AGATTTTAGAAAGCTTTGGCTCAAGTTGTAGGTTGTGGGAGGAAGGAATT  
AGTAAGAGCCATCATAAACTCAACATCTATTGTGTTCCAGGAGCTGTGAC  
CACTCCCTTCTTTTAGTCGGGAAGGTCAGGATCTCACTATGTCACCTAGG  
CTAGAGTGCAATGGTGTGATTATTGCTCATTGTAGTCTTGAATTTGAATTC  
10 CTGGGCTCAAGTAATCCTCCTGCCTCAGCCTTCTGAGTAGGTGGGACTACT  
GGTGTGTGCCACCACACTCGGCTTACTCCTCCCTTTGTATCCTGCTGCATC  
GTTAGTGCATGATACCCACCACCCCTCAGAGGCCCAGCCTAGTGCTGTC  
TCTCAGAAAAACACCCTTTGAGTCAACAGAGACAAACTTAGGGGGTGCCT  
GACTCCAAAGTCCAGGCCTTCCTCCTTTGAGGAACAGCATGGCTTCCCCA  
15 GGGAATATCATTCCATGGAGACAAGGCCTGCAGACAGATCTCATTTTCAT  
CTGTTCTTTTACTAGCCCTTGAGAGATTGTGCTCCAAAAACCTGAGGCACTG  
ATGTTTACTCCAGCTTTACTTCCCCCATACTGGTGAACAACTCTGGCCCA  
GCTTCCACACACCAAGGCCCATGGCTCTAATAGAGCCAGAGAGGCAGTCT  
CAGCTAAGAAGAGCTGTATCCTCCAGGGACCAGCAGGAACCTCCAGAGAT  
20 ATCCTACAAGCTCCAACCTGCTGGGAAAAGCAGACTGGGGTCTTCCTCAGG  
CTCCACCAAAGATAGCCAAGTGGCAGCAATGACATGAGCACCTCATTCCT  
GTCCTAGACCCTGGCAATTCCATGAGAGGGAGGCTCTGAATTCACCTCTG  
TTCCAGGATGTGTGACATCAATGCACATTGTCATACCAGATACACCTGC  
CAAACCTTCAGAACCCCTGGGAAGTGACCAGAATGCCACTGAATTCAACAC  
25 CTTAGACCAATGAACATGACCTGGGTCCTGTAGGATAGGAGGCAGCAGCA  
GTGTATACCCAGACCTGGTCTGACTCGAATAGATCTGCTAGGCGCCAAGCT  
TGTCAGCCTTACCAGTAAAAAAGAAAACCTATTAAAAAAACACCACTCGA  
CACGGCACCAGCTCAATCAGTCACAGTGTA AAAAAGGGCCAAGTGCAGA  
GCGAGTATATATAGGACTAAAAAATGACGTAACGGTTAAAGTCCACAAA  
30 AAACACCCAGAAAACCGCACGCGAACCTACGCCCAGAAACGAAAGCCAA

AAAACCCACAACCTTCCTCAAATCGTCACCTCCGTTTTCCACGTTACGTAA  
CTTCCCATTTTAAGAAACTACAATTCCCAACACATACAAGTTACTCCGCC  
CTAAACCTACGTCACCCGCCCGTTCCCACGCCCGCGCCACGTCACAA  
ACTCCACCCCCTCATTATCATATTGGCTTCAATCCAAAATAAGGTATATTA  
5 TTGATGATGTTT

Other embodiments are within the following claims. While several embodiments have been shown and described, various modifications may be made without departing from the spirit and scope of the present invention.